

This is a reproduction of a library book that was digitized by Google as part of an ongoing effort to preserve the information in books and make it universally accessible.



https://books.google.com







University of Wisconsin

College of Agriculture University of Wisconsin Madison 6, Wisconsin



17-11-5

Book -Whihly

Digitized by Google

52

# Dairying Exemplified.

LIBRARY

College of Agriculture
University of the consin
Madison 6, Whitensin

## Dairying Exemplified,

Ó R

## The Business of Cheese-making:

Laid down from approved Rules, collected from the most experienced Dairy-Women, of several Counties.

Digested under various Heads,

From a Series of Observations, during Thirty
Years Practice in the CHEESE TRADE.

#### ALŚÓ

The most approved method of making BUTTER.

#### LIKEWISE

A Differtation on APPLE TREES, or the Culture of the ORCHARD improved.

The nature of VEGETATION explained.

With some other Observations of great importance .
to Husbandry.

by J. T W A M L E Y.

#### WARWICK:

Printed for the Author by J. Sharp, and Sold by Messes. Rivington's, St. Pauls Church Yard, and J. Tatlor, No. 56 Holborn, London. 1784.

Enter'd at Stationer's Hall.

June 13,1911 St. 4,10

744 7**41**  LIBRARY

College of Agriculture
University of Visconsin
Madison 6, Wisconsin

## PREFACE.

I F a Dedication, or Introduction to the following Work should be thought necessary, I most humbly, and justly address it to the excellent DAIRY-WOMEN of Great Britain; duly sensible, that from them I received the first hints that led me to the performance, and without whose assistance and encouragement, joined with my own knowledge and experience, I should never have offer'd it to the Public.

The real defign of this work, is to affift those who are not fully acquainted with the most proper methods, necessary to be used in the manageby ment it my endeavour to render every part as plain and intelligent as possible, and am in hopes upon a due Observation of the rules laid down many will find their account in it. It is my sincere wish, that it may be a means of improving the quality, as well as enlarging the quantity of Cheese, through the kingdom; and become extensively useful to the community in general.

### Dairying Exemplified, &c.

Thas been the wonder of many People, who are interested in the Article of Cheese, either as Makers or Dealers; that no Treatise or Book of rules, or method of making Cheese, hath ever been attempted; or the business of it examined, so as to direct those who are concerned as Dairy-women, or having the chief management in Dairys, to become proficient therein.

And from the great number of inferior Dairys there is, in comparison to the sew that are excellent in their kind, or even what are called good Dairys; which every person who is much concerned in the Cheese Trade, is well convinced of; and 'tis evident to a nice observer of the different, yea, very different qualities of Cheese produc'd in different Dairys, or even in the same Dairys, when either the Dairy-maid is changed, or the usual B4 method

method of Cheese making, by the Mistress or manager of each Dairy, is not strictly adhered to. A Remedy for this great deficiency is looked upon as an affair of great moment, especially by those, whose lot it is to be fixed in the Cheese Trade in a considerable Dairying Country, where large quantities of Cheefe, are annually bought; and where, was Cheefe-making in equal repute, or the real quality of Cheefe, equal in goodness to some neighbouring Counties, a much larger quantity would certainly be made, and what would be a great encouragement both to the makers & buyers of it, a better price would be procured for the same Article, and a much readier Sale, than when of an inferior quality. Besides which, it is very clear that many People do not, for want of a proper method, make near fo much Cheefe, from the same quantity of Milk, as others do; or as even themselves might do, if a more proper method was purfued. These considerations, having always been clearly apparent, have from time to time, and as oft as an opportunity of attaining any knowledge, in the business of making good Cheese hath offered; led

led the Author of the following Treatife, to collect, weigh, & investigate every particular circumstance leading to improve the said art, or business, as hath enabled him from time to time, to assist, and help many, by his advice and directions, to rectify and amend many faults, and deficiencies, in the method they followed; and many have by such directions greatly improved their Dairys. And from constant experience and seeing the improvements, and the effects produced from every different method practifed or explained, by fuch as he found most experienced, or best informed; for the space of Thirty Years and upwards, he never fail'd to avail himself; this hath constantly led him to scrutinize into the real cause, of every impediment, or fault, in the method of mas king Cheese, from the first step, or Milking ing the Cows, to the compleating or remove ing the Cheese for Sale. And to point out a remedy to each complaint upon rations al principles, as far as they appear to him; and are confirmed by the opinion of others, who have been in the way of making obfervations of the fame nature, and who give every

encouragement to the Author to make such improvements Public for the general good. I am well acquainted, how unthankful an office it is, to attempt to instruct or inform Dairywomen, how to improve their method, or point out rules, which are different from their own, or what hath always been practifed by their Mothers, to whom they are often very partial, as having been the best of Dairy-women, and even, when they have imperceptably alter'd their method, by shortening the time in gathering the Cheese, which is a term generally given for collecting the Curd at the bottom of the Tub or Pan. after the runnet or rendless has done its duty, or by putting a larger quantity of runnet into the Milk to hasten the coming of the Cheese, which alteration, though often not observed by the Dairy-maid, or Mistress, is of very material importance, and is what I shall endeavour to explain, in as concise a manner as possible. I doubt not, the same reflection will occur to the minds of some few on reading my Book; as hath often done upon occasion, when I have in a Dairy met with any particular impediment

in their Cheefe, which the Dairy-woman would fairly acknowledge she could not acaccount for, and had tried every means she could think of to rectify; saying, what does he know of Dairying or how should a Man know any thing of Cheese making?

But let these remember, that I have had frequent opportunities, of consulting the best of Dairy-women, in many Counties, who I knew from experience did know how to make good Cheese, and in order to have it in my power to inform such as did not know how, I have taken great pains, to inform myself, as many now living, in both situations can testify.

The principal faults that cause these dissiduaties to Dairy-women are, Hove Cheese, Spongey, full of Eyes, Whey Springs, Jointed or Shook Cheese, Split Cheese, Loose Cheese, or Cheese made of unsettled Curd, Rank or Strong Cheese, Flying out or Bulging at the Edges, Dry-cracks or Husky Coated Cheese, Blistering in the Coat, Blue Pared, or Decayed Cheese, Sweet or Funkey Cheese

Cheefe, and fometimes ill Smelling Cheefe from tainted Mawskins, from distemper'd Cattle, or some other cause, which by a strict observer may be accounted for. Before a certain cure can be found out or applied, you must be acquainted with the nature, and cause of the complaint, or if by any accident, you his upon a remedy, it may perhaps be a partial one, or such as will not answer at all times, or in all Dairys, by reason the complaint is from a certain fixt cause, and which cause will at all times and in all places produce that effects when perhaps, the remedy: apply'd may only be proper in some particular Dairys, owing to Herbage, very rich Pasture, or very Poor, to Clover ground, or ground given to Noxious Weeds, Plants, or Trees, which the Cows eat of; each of which if not known or confidered will produce a different effect, losse of which effects may be similar in appearance to complaints in other Dairys produced from different causes, the knowledge of which will be of great use, to every Dairy-woman, or maker of Cheefe to know, as the operation, of the work.

work, or management & care of the Cheese when made, must necessarily fall to their lot.

What relates to Pasturage, or the quality of Land for Grass, the produce of the Land regarding Plants, Weeds, or Grass of different kinds, falls more immediately under the eye or care of the Master, or Farmer of the Land; and from observing from time to time, the state of the Dairy, the Taste of the Cheese so far as it may be affected by any particular Herb, Weed or Grass: the situation of the Cheese in the Dairy Chamber, how it is affected in different Seafons, by Heat, Cold, Damp or Dry Weather, to know what are the causes of many general faults, or complaints in Cheefe fuch as Heaving, Splitting, Jointing, Whey Springs, Ill Formed, or Sweet Cheefe, which often, when any of these happen in a Dairy, are produced by one general cause, and frequently go through the principal part of it, proceeding from the fame neglect or mifmanagement. These difficulties or deficiencies, it is proper a Master should be acquainted with, as it often, I may fay, too often

often happens, the Miltress leaves the care of the Dairy to Servants, especially the puting together the Milk, preparing the Runnet and putting it into the Milk, the standing of the Milk till it becomes Curd, and breaking or gathering it after it is come; which is generally done by fome common rule or method they have been used to, the method used by a former Mistress perhaps, who might be esteem'd a good Dairy-woman, and very likely undertook the management of the Dairy herself; or at least so far as the effential part of the work extended; paying a particular regard to the time of the operation of the Runnet, in bringing the Cheefe, or of gathering the Curd, fixing, or fetting it after it is come; each of which require a minute exactness, and the principal error, or misfortune in Cheese making, is owing to these operations being too hastily performed, not giving time enough for the different effects to take place; for if due regard is paid to making good Curd, you will very eafily make good Cheefe; few people in any business make good Goods of bad Materials, tho' many of the most ignorant, when

when provided with good Materials, prepared for their purpose, will finish them in a Workman-like and Masterly manner; so will many a Dairy-maid, make very handfome Cheese and take care of it, till it comes to be very good, and so as to give credit to the feller, as well as the vender of it, that has no confistent idea how the Runnet operates, or perhaps of the different states of the Curd, in its various stages, or even when it is in a proper state to begin the part of the work which usually falls to her share, of Breaking, Vatting, and preparing it for puting in the Press, which former part should be the care of the Mistress, or at least of fome Person who does understand it, to pre-"pare the Curd for them. The business of a Dairy, is of confiderable importance, and what is in some Places, half, or nearly the whole income, or produce of a Farm. The difference is so great between a very good Dairy-woman, an inferior one, and a very bad one, as would furprise, even a judicious observer, and the preceeding observations, which are what have happened in my own walks, will strike conviction on the minds

of many, who have never applied their thoughts to the Theory of Dairying. The general way that the art of Dairying has been carried on for Ages, has been progreffive, or traditional, being taught by Mother to Daughter, from common and continual experience; naturally adopting from time to time, the methods that appear'd best, from such as have happened to come within their own knowledge; without ever calling in the affiftance of either Philosophy, by which they might learn the different qualities, and effect of materials they use, or knowledge, how to apply them in a Physical, or Practical manner. And although the Author of this Treatife, is very confcious how small a share of true Wisdom falls to his Lot, yet has great hopes that from the defire of making himself useful to community, with the affiftance of reason and common fense, he shall be able to render some assistance, to those he wishes to ferve. A kind providence hath provided for all our wants; Nature, as Nature, is compleat in all its parts; we, often in trying to improve it, distort, or throw is into confusion; our Ideas

Ideas being inadequate to the attempt. Where nature points out, or leaves any open for improvement, in the use of any of the common necessarys of Life, it is the duty of individuals to take the hint, to weigh, investigate and explain them for Public good. The present System of Dairying, being in a very impersect state, I am in hopes, my endeavours to render service and improvement, will not be found unnecessary.

A Cow, may I think justly be stiled, the most useful of all Animals, in regard to Man; Milk is a support to our Infancy, and greatly contributes both to our comfort and support through Life, not only supplying our present wants, by that falubrious aliment, but our future wants not only at home, but abroad; by the Cheese and Butter produced from it, it supplies us, even with many luxuries in our tafte, is a great support to weakly conflictations by its Veal, as well as a great support in the Article of Provisions; these are its Blessings afforded when alive; when Dead, is to us the grand stamina B

stamma of our Food, Beef, being the most nourishing and agreeable repast; it not only supports us at home, but supplies our Fleets, our Armies, our Garrisons and Islands all over the World; its Leather, so useful for Shoes, for Implements of Husbandry, for Travelling, and for innumerable Conveniences; its Hair for our Buildings and other purposes, its Tallow for our Light at Home and Abroad, its Horns and Hoofs, and even its very Bones for our Implements, and various Materials of Trade. Were all its excellencies enumerated, they would be very extensive.

Milk, must be allowed one of its most useful productions; it is given for our use in a pure, wholesome, and nutritive state; capable of improvements, or alterations, of its nature, according to our different wants. In the Article of Cheese, and Butter, a great deal depends on the Art, Judgment, Care and Diligence of the Performer, and the good or bad qualities of each, chiesly depend on the skill and industry of the Dairywoman. On a judicious observation you will

will find, that Milk is generally found even at different Seasons, to be of a regular &equal stamina, or quality, & in the same manner effected by different fluxings; by Salts, Liquids, Sprits, &c. at all times; the business of Cheese making, is a regular and constant proceeding, practiced perpetually, every Day, time immemorial; and it seems strange, that when the ingredients you employ are so few, and their nature also so exceeding regular, and certain, that there can be much difficulty, in producing the Article of Cheese pure, and compleat; but daily experience convinces us, that there is amazing difference in the goodness of Cheese, insomuch that you can scarce find two Dairys that are exactly, or even very much alike; it does not occur to the knowledge of every one what that difference is, but to a Person who deals largely in it, and makes observations upon it, must plainly appear; and though fo few have ever attempted to scrutinize the nature of Cheese, or particularly of Cheese making, in a manner that yields conviction to its improvements; yet there is no reason, why that useful branch of B 2 knowledge

knowledge cannot, or may not, be clearly explained.

The business has been in the hands of the Women hitherto, except in Cheshire, Wilts, fome part of Gloucestershire, &c. where a large quantity of Cheese is made, a Man is employ'd as an affiftant, the weight of a large Cheshire Cheese, being too great to be wrought by a Woman, and turning, rubbing, washing, and cleaning, is more than one Man can eafily perform; 'tis common in large Dairys, to meet with Cheefes, Eighty, one Hundred, one Hundred and Twenty, or even one Hundred and Forty pounds a Cheefe, which requires confiderable strength to manage. In some part of North-Wiltshire, I am informed there are Dairys that make Twenty-five Tons in a Year; and some sew more than that. A Gentleman told me, that being lately at Bath, he was informed of a Person within less then Twenty Miles, who milk'd 200 Cows: Which led his curiosity to take a ride to see it, being a confiderable Factor, who had frequent opportunity of buying Dairys of Four

Four, Five, or Six Tons each; but had never met with any Dairy of that extent. On hearing the recital of it, led me to the fame thought as would naturally strike him, viz. what fort of a House or Premisses the Person must have to cure, spread or dispose of such a quantity of Cheese, to get it ready for Sale? When he came to the Place, he found the report was true, but then he milked these 200 Cows at three different Houses, in number proportionable to the convenience or lituation of the Place. We often hear talk of Cheshire Dairys of 100 Cows each, which the largeness of the Cheese in a great measure accounts for. But what are called large Dairys in Warwickshire, Leicestershire, Staffordshire, or Derbyshire, is from 20 to 40 Cows each; in these parts, from general observations I have made, each Dairy may produce annually on an average three Hundred Weight of Cheese from each Cow, taking the Dairy's in general. I am inclined to think more Dairys produce less than that quantity, than there are that produce more; but this is obfervable, much the greater number of Dairys,

В 3

ar

are on Tillable, or Arable Farms, where new Grass is introduced, which is always allowed to make less Cheese than good old Turf; and the proportion of up-land Farms, is much greater than of low - land. I have weighed many times Four Hundred from a Cow, and fome few Dairys which have produced Five Hundred from each Cow; but then in scrutinizing into the affair, it has been attended with particular circumstances, such as being situate, in an excellent Grass Country, where Meadows of dry Old Turf have been the Pasture, where clear streams of running Water have gone through the Meadows, affording always good Beverage for the Cows, as well as a cool retreat for them in Hot Weather; by which means their Milk was kept in a temperate state, while Cows on up - lands, perhaps, fcorched with heat, and not having the nourishing Stream to go to, or shade to protect them from the Sun, caused their gadding, or running about to fuch a degree, as prevented the increase of their Milk, in any proportion to what the running Stream produced; and throw'd the Cows

Cows into such a heat and disorder, that their Milk would not yield near the quantity of Curd, and caused many difficulties in making the Cheefe (which the cooler Dairys were not exposed to, especially, when under the hand of an unskilful Dairy-woman, ) likewife, in these prolific Dairys, the owner made a point of never keeping a Cow that was too old Milcht, or Milk'd too long from the time of Calving, or when any Cow went off her Milk either by any accident, or otherwise; then he always replaced her with a new Milcht one, either drying the old Milcht one for feeding or disposing of her. That fo the Dairy by that means was kept in full vigour through the Grass Season. The number of these Dairys is so very sew and rare, they can only at most show the World what may be done. I have been told by a Wiltshire Factor, that the Land in their principal Dairy Country, is fo Rich and Good that it is not very uncommon there for prime Dairys to yield five Hundred of Cheese from a Cow; but then there is every Advantage in their Favour; fuch as (I believe no body who judgeth from the goodness B 4

ness of the Cheese, but must allow) the best of Dairy-women, who have been regularly bred to it from their Childhood, it generally being almost the sole employ of the Farm, and those Dairy-women led on by the greatest and most powerful emulation, of felling for the highest Price. Their Cheese being generally fold, retail, at a penny, and often two-pence per Pound, more than good Cheese in common. Their Cheese, that is made in the prime of the Season, generally known in the country by the name of Marlborough Cheefe, being much brought to Fairs by Marlborough Factors, or People refiding not far from thence. Or in London. by the name of North-Wiltshire Cheefe, which always bears the greatest Price of any Dairys, except those of Gloucesterfhire; which, even the finest of Barclay Hundred, do not come up to; and I believe by many judicious People are even allowed to excel. Likewise in many very principal Dairys, they have this great Advantage; where Gentlemen in some places, occupying a large tract of Ground or Lordship, either themselves, Stewards, Baliiff.

Bailiff. or some other Person for them Stock the whole or chief Part with milking Cows, which they are very particular to get to come in, or calve, by the Time Grass is in Vigour. Then these Dairy People agree with them for the Milk of fuch a number of Cows, at a given Price per Week, as they can manage. The Gentleman, Bailiff, &c. engaging, that if any Cow fails in her Milk before a given Time, that he will take her away and replace her with a new Milcht one, by which means their Dairys are always in full Power all Summer: and then they engage for the Winter Dairy, at a Price proportioned to the state of the Cows. either new, or old Milcht, by which means they are certainly enabled to make a larger quantity of Cheese than any common Dairy, or Land of inferior kind without these Advantages. And in many Dairys they make Cheese all the Year, as the quantity of Winter Cheese, and Fodder Cheese sent to London Markets clearly shews .--- Much depends on the fituation of Dairy-ground, being nearer, or farther from the House, where the Cheese is made; as Cows being driven

driven any confiderable distance to be Milked, causeth the Milk to Heat in their Udders in Summer-time; Milking them in the Field and carrying the Milk on Horseback in Churns, or Barrels to much Diftance, I take to be still worse, as that perpetually disturbs the Milk, inclining it to the nature of Churning Cream for Butter, and the operation performed upon it, is quite of a different Nature, as it is for a different purpose or Design, and if Milk is put in a violent Motion by carrying, it makes it in some degree partake of the nature of Churning, infomuch, that you often observe round the Bung, Plug, or Stopple of the Churn, a Froth or Scum, work out by force of Air, or Motion in carrying, that very nearly partakes of the nature of Butter, which plainly shews that the Body of Milk, cannot be in a proper State to make Cheese with, as the nature of Butter is produced by violent Motion, and the making of Cheese from a state of Rest, being directly opposite. I take it that oftentimes in very Hot Weather, the Milk in a Cow's Udder, much agitated by driving, or running about,

is in a state not very far different from that carried in a Churn, which frequently makes the great difficulty in what is called bringing the Cheese, or fixing the Curd in the Tub, or Pan; I have often heard Dairywomen fay that tis fometimes very difficult to make it come at all, and instead of one Hour, (the Time very commonly given by Dairy-women, in bringing the Cheefe,) that it will frequently not come in Three, Four, or Five Hours; and then in fuch an imperfect State, as to be scarce capable of being confined either in the Cheefe-Vat or Press, and when released from the Press, will heave, or puffup, by Splitting or Jointing, according as the Nature or State of the Curd happens to be. Whenever People find their Cows in this fituation which in Hot Summer Evenings must often happen, especially, where Water is scarce, or in Grounds where there is very little Shade; then it is, that making use of a little cold Spring Water before earning, or rendling, is useful; as that will make the Runnet take effect and the Milk co-agulate much fooner. It often happens, in some Dairys, that the Work is quite

quite at a stand, the Dairy-woman not knowing how to hasten the Co-agulum, or coming of the Cheefe, thinks of putting more Runnet in, to forward it; but the Nature of Runnet being fuch, as will disolve the Curd. in part co-agulated, if more is put in, difturbs the whole, and prevents its becoming Curd at all, or, in a very imperfect State, remaining in the Whey, in an undigested State that will neither turn to Curd or Cream. and a principal part of the richest of the Milk is then cast away with the Whey. Cold Water, with a little Salt, (as hereafter recommended) will in a great meafure prevent this difficulty. One great Point, or Thing to be observed, in first setting off, or rendling the Milk, is carefully to observe the state of the Milk, as to Heat or Cold; the grand medium, or state it should be in when you put the Runnet into it, is what may be properly understood, Milk-warm; if you find it to be warmer than that, it is recommended, to put some fresh Spring Water into it, in such Quantity, as will reduce it to the Milk-warm State; a Quart, Two, Three, Four or more according

cording to the quantity of Milk to be so cooled; many People may think Water will hurt the Milk or impoverish the Cheese; experience shews it will not, but is a means of the Rurnet more immediately striking or operating with the Milk. I would recommend the use of a Thermometer, to shew the degree of Heat Milk bears. I doubt not one may be constructed on a very easy Plan, that will cost a very little Money, and it will be very well worth while to be at a fmall Charge, to regulate a fault, of putting Milk together too Hot, which is of more ill consequence than People are aware of. The fame use holds good in putting Milk together for Butter; it is observed, that Milk being set up too Hot, will not throw up Cream near fo well, as when in a temperate State, and causes it sooner to turn Sour. \*

As foon as the Milk is reduced to a proper warmth, and before you put the Run-

<sup>\*</sup> By the Term Milk-warm, is not commonly underflood, the Warmth that it has on coming, from the Cow, as that varies according to the Heat of the Body of the Cow, at the Time of Milking, but a Warmth, a few Degrees removed from Coolness; a Degree of Warmth, in general well understood.

net to it, it is an exceeding good way to put a handful or two of Salt into the Milk. or three or four handfuls if your quantity is large ( I recommend about two handfuls to ten or twelve Cow's Milk; ) this will also cause the Runnet to Work quick, and giving a Saltness to the whole, willbe a means of preventing Sweet, or Funkey Cheese, as it will make the Cheese all Salt a like, be a means to prevent Slip Curd, or Slippery Curd, make the Curd fink in the Tub more readily, and equally.\* If your Milk is too Cold, let some Milk be warmed and put into it, to bring it to the state of Milk-Warm, observing not to warm a fmall quantity to make it boil, as boiling alters the nature of Milk in some degree; scalding Heat is thought to fet the Curd, making it Tough, that it is judged best, to warm a tolerable good quantity of Milk pretty warm, that it will give Warmth to the whole in a sufficient degree. Sometimes you will find in Cold Weather, your Milk

<sup>\*</sup> Your Cheese will afterwards want a less quantity of Salt, than if none had been put in the Milk; enough to settle it, and make it firm in the Press, will be sufficient.

Milk in the time of earning, get Chill; I have known in such a case, a Person take a Tea Kettle of Hot Water and put into it, with fuccess: let it be when the Curd is nearly, or pretty well come, as then the Hot Water will give a Toughness to the Curd, to relieve it from the flippery nature it had acquired by being Chill, and that Chilness continuing to encrease, it is with difficulty you can bring your Cheefe into a regular or fixed state. It is a very common way with many Dairy-women to allow the Milk to stand an Hour, in earning, or after the Runnet is put in, before it is gather'd, or funk; many I fear content themselves with thinking it fufficiently come in less time, But here lies the greatest mischief in Cheese-making; the Milk is very often disturbed before its proper time, and fometimes when the whole is in a state of Slip Curd, or Slippery Curd, which is a state all Curd is in, before it becomes folid Curd, or Curd, fit to make . Cheese with. You are always to observe that the state in which it is when you first flir or disturb it, in that state the Curd will remain; it never improves as Curd, or becomes comes better Curd after it is disturbed or removed from its state of rest.

You will generally observe, that when you fink the Curd in the Tub, even when it is in a tolerable good state, as many imagine, there will bits of Slip Curd fwim about in the Whey and not fink with the rest, till the Whey is laden from it. That flip Curd will not adhere to, or join with the folid Curd, & though ever fo well broke or seperated, yet in whatever state it is, when the Cheese is made, it all dissolves, or melts: if a bit as big as a Nut happens together, it dissolves into a Whey Spring, runs out, and leaves a Hole in the Cheefe, which always decays in that place; if a bit as big as a Pins-head happens, it dissolves, and leaves an Eye in its place, and that is the cause of Eyes in Cheese; if you cut the Cheese when young, you will find, that there is a Moisture, or Wet, in every Place where the Eye is, after it is dried up, which Wet or Moisture is called Tears. \*

When

This term, Tears, plainly indicates, that it has been usually understood in this light, being the Tears of the Eye.

When a large quantity of slip Curd is in a Cheese tis a long Time before it becomes hard, appearing always Ioose within; which, when the Cheese is dry, on cutting, it appears like a Honey-comb.

The thing that more Dairy-women err in, then any other, is gathering or finking the Cheese too soon. The rendling of Cheese, causeth a very great Fermentation; there must be time given for the fixt Air in, Cheese, or Curd, set to work by the Runnet, to dissipate, expand or sly off. The Runnet is a thing so powerful in its effect, as to have no substitute yet sound that can be used in its place; all Fermentations remove or separate the fixed Air, from the different Bodies they are connected with.

The effect of Runnet on Milk is very great, and in order to thoroughly fix the Curd, it must have sufficient Time to work, concrete, or congeal the Curd into a solid Mass by extirpating the Air from it; if you remove or disturb the Milk before its sull Time, yet the Runnet having begun its operation

operation, though you do not give it Time to work, by reason of hurrying it forward, yet when it is again at rest, such Air as hath not been separated, by breaking, squeezing or pressing, will extend itself, and the Air will find a vent, or expand itself into a greater compass than it was before confined in; and whether it is in the Press, or after it comes out of the Press, will find a way to discharge itself; many times to that degree, when in the Press, as to even burst the Cheefe-cloth it is wrapt in, if it is so confined that it cannot escape by it. If it does not get discharged otherways, then, as soon as the Press is let up, it will shatter the Cheese within to a surprizing Degree, and immediately cause the Cheese to heave, or puff up, even in that State, which so separates the Curd in the Cheese, as it seldom settles again, unless taken quite in Time, or before the Curd is connected in the Press. A good way to prevent this disorder, of what is called Cheese heaving in the Press, from taking a bad effect, which complaint generally happens when the Milk is put together too hot, and the Whey that comes from it is left white

white (which it ought never to be, for then you may be fure all is not right); when the Cheese has first been in the Press an Hour or more, let the Press up and if you find the Cheese swell, or blister, take a large Needle, or fine Skewer, of Wood or Iron, & pierce it in many places to let the Air out; a Pin is not so well, as Brass taints the Cheese, and it will appear of a tainted braffy colour ever after: If you find when the Cheese comes a. gain out of the Press, that it fill swells, or blifters, apply the Needle again, and it may perhaps settle again so as to make a useful Cheese; it will never be a good one, but will remain in the state called loofe Cheese or shook Cheese. Thus you may discern some-what of the nature of flip Curd; every Dairy-woman should take Care to become as well informed of the different properties, its Nature, cause of its Formation, and manner of operating as possible, in order thereby to avoid the many difficulties proceeding from it, which are more numerous than all others, in the whole fystem of Cheese-making put together, and have been by them, the least considered and examined. In order to avoid many difficulties.  $\mathbf{C}_{2}$ 

ficulties, and render you complete Mistrels of the first part of the Work, which is a very material Crisis, take Care to be well in formed of the nature of Maw-skin, or Runnet-skin; it is very proper every Dairy-woman should know how to prepare them for use, which is very easily acquired, to know in what manner or to what degree it should be falted, and how, properly dried, and take particular care that you have the Maw fresh, not in a tainted or putrid State, and if ever you do happen to have fuch a misfortune as to have it damaged either by neglect, as to Time of preparing it, great heat of Weather, which sometimes hurts our best and freshest Meat in a surprizing degree, notwithstanding every Care or caution taken to prevent it, or by the Skin having any way taken Wet, or being Fly-blown; to many of which mishaps the most careful Person, is sometimes exposed; any of which quite alter the Nature of it; being of a more particular construction than any other thing, which must appear plain, when tis confidered, that you cannot substitute or apply any one Thing, in the the Article of making Cheefe to a proper effect, or that will answer your purpose of extracting Curd from Milk in order to make Cheefe of, but Maw-Ikin; and you' will find that when the Skin is damaged or tainted, it loofes its fermenting quality confiderably; that it will either not take Effect at all, or in a very partial and flow degree, and you will often find Cheese made from tainted Maw-skin appear of a putrid, unfettled, ill-tafted, discoloured Nature, being affected in a different Manner, according to the degree of Putrifaction the Maw-skin has received. Sometimes I have perceived the Cheese of a dusky black Colour, not fixt in its Texture, or become folid and close; sometimes, in Taste resembling the flavour of tainted Beef or Mutton, when it comes to your Table; formetimes it has the fmell of rotten or addled Eggs, Tometimes of the most insipid or tasteless Nature, which on enquiring into the cause, could never be explained to me by the Maker. Some? times an ingenious, well-disposed Person, who wished for Improvement or to become acquainted with the nature or consequence  $\mathbf{C}$  3

of fuch complaint, would hint to me, her fear was, the Maw-skin was damaged; tho' I have had fome, who instead of being open to Conviction, or that would pay any regard either to my Opinion or Advice, would tell me that could not be the cause, for they always prepared their own Maw-skins, and no one could be more careful to cure them properly, which was the reason they always avoided buying Skins as much as possible, for fear of that misfortune. All this care and precaution I doubt not was just, as from the great care many People take of their Dairy in every respect, would be particularly cautious about their Maw-skins; but let themselves judge, whether some of the afore recited causes, might not happen to their When I have come to a best endeavours. place where the Dairy-woman has informed me she has been deceived in her Mawskins, being then I thought on sure Ground, or certainty of the Cause, I have been very careful to become acquainted with the real nature of the ill effects produced in confequence thereof, and have always found some of the Evils before-mentioned, and could

could often judge from the State I foundthe Cheese in, in what manner, or to what degree it was affected thereby, and even so as often to convince the Maker of it, that my Opinion was Right. If at any Time this Misfortune is Apparent to you, that some neglect, or mishap has taken Place in curing your Maw-skins, you will easily guess from which of the above Causes they spring; and perhaps in a course of Time, you may become well convinced, that every one of these mischances do sometimes happen, and as you must certainly be a better, or more competent Judge of the real nature of the complaints, (than any other Person can be from common observation, ) you will most likely, find other causes of damage, or misfortune that happens in the process, more then I have enumerated; and if any material one, it would be exceeding useful to have it made Public, for the benefit of Society, or to warn those of the damage, whose Business it is to supply the Market with Skins for Sale. When you perceive any of your Skins have miscarried, that they are either tainted, or otherways damaged, take particular

particular notice how they appear; in what respect they differ from perfect Skins, knowing, that the like causes produce similar effects, and then if you are obliged to buy Skins, you will be enabled to avoid buying such as have the Faults you are acquainted with. I have often been led, when in a Shop where Maw-skins were on Sale, to examine them somewhat minutely, and could perceive in some of them much difference: I have feen in the same Skin sometimes, the appearance of very different qualities; I have observed dis-coloured Spots on holding it up to the Light; I have seen one part of a Skin of a well-coloured found nature, another Part that had somewhat the look of rough Parchment, or hard Whit-leather; on fmelling, it has not appeared of the same nature, for relish, with the rest; I have also observed Skins that have appeared quite tainted, and even in a decaying State, and have seen Rendless after being made, appear of a dufky blackish Colour. A Dairy-woman should be acquainted with these complaints, in order to avoid the difficulty that inevitably accrues for want of that Knowledge,

ledge, and should frequently taste the Runnet when made, that she may find out in Time if there is any thing disagreeable attends it.

The Maw-skin, or bag of the Abomasus, is the Maw or Stomach of Calves, that have fed on nothing but Milk, and are killed before the digestion is perfected, it contains an Acid Juice called Runnet, Rennet, or Earning, with which Milk is co-agulated, or rendered into Curd for making Cheefe: in the Maw the Chyle is formed, that caufes this co-agulum; but it greatly loofes this effect, when Calves have fed on Vegetable Food; the Maw of House-Lamb, I am informed will answer the same purpose, but not of Grass Lamb. I have heard of a person who Salted the Curd, or Crudity that was found in the Maw at the Time the Calf was killed, prepared as the Maw-skin is, with good effect, only used in a larger quantity. This may eafily be tried by way of experiment; I never heard of but one Person who used it, and she is now dead; that prevented my enquiry about it. observable observable as an old Maxim, that although Runnet readily co-agulates Milk, yet if put in when already co-agulated, it dissolves it.

There are many ways of making, or preparing Maw-skins; the best and most approved I ever met with is, as foon as your Maw is got cold, when taken from the Calf (for tis known that falting Meat hot, in fultry Weather, will make it Taint, ) let it be a little fwilled in Water; fome People fay tis better not to be clean'd at all, and the effect will be greater, it coming nearer to real nature, and the reason given, is this, 'tis the infide of the Maw that has the effect in Runnet, and the chyle proceeding from it, the outlide being little otherwise-than any other Entrail. Rub the Maw well with Salt, then fill it, and afterwards cover it with Salt; fome cut them open and spread them in Salt, one over another in layers, andlet them continue in the Brine they produce, fometimes stiring, or turning them, for four, fix, or nine Months, as they can spare them, then open them to dry, being firetched out with Sticks or Splints, that they

they may dry regularly; when they are dry they may be used; though, tis reckon'd best to be a Year Old before used, keeping them one Year under another. Dont let them in drying, be too near a Fire; if heated too much, renders them liable to reeze, (as Bacon will, when melted by heat, ) and hurts their quality, giving them a rancid taste; many People think, the Brine they. are prepared in, very useful in making your Runnet, putting it amongst it as other Brine, with fmaller proportion of Runnet. People differ in their way of preparing Runnet or Rendless. Many will make it with Whey; fome will put in with the Whey, the Brine drippings that come from the Cheese when in the Press. Both these I quit disapprove; Whey having already undergone purgation, Fermentation, or separation of the Curd from Milk, is more likely to become viscid, or gummy, acrid, or sharp, or liable to putrifaction then a more pure element. drippings are of a gross foul nature, and may be deem'd, (if the expression may be allowed) even the very excrements of Cheefe-making, and what ought never to be put in, in order

to bring the Cheefe, caufing a rank and foul Smell as well as Taste, I take it to be the worst of all disagreeables.

The way most approved by good Dairywomen, or fuch as have fallen within my knowledge is this; take pure Spring Water, in quantity proportion'd to the Runnet you intend to make; it is thought best by some, about two Skins to a Gallon of Water; boil the Water, which makes it softer or more pure, make it with Salt into Brine that will swim an Egg, then let it stand till the heat is gone off, to about the heat of Blood warm, then put your Maw-skin in, either cut in pieces or whole; the former I should imagine best or most convenient; letting it steep for twenty-four Hours, or two Meals, (so called in Dairying) and it is fit for use, putting such a quantity into your Milk as you judge necessary, for rendling your quantity of Milk into Curd; obferving that too much Runnet makes the Cheese strong and liable to heave, and is what many People call, tastes of the Bull. or Bull Cheese (especially when Brine drippings

pings are put in.) Too little Runnet makes it very Mild, and must have more time to stand, before its broke, or sunk: The judgment required, in the quantity of Runnet, to be used must be regulated by your own prudence, increasing or lessening it as you find it necessary; 'tis often reckon'd, about a Tea-cup sull, to tea Cows Milk. If you make a quantity of Runnet together to keep for use, let the same method be used, increasing the quantity of each Material to what you want, puting it in Jars or Bottles, till you want it.

A very material circumstance to be attended to in Cheese-making, is the time allow'd for the Cheese coming, or from the time allow'd for the Runnet to take effect, or the time when the Milk is at rest, called earning time.\* Which should on no account be less than an hour and half; all that is stirred, gather'd, or sunk, in less time is liable to danger. It may happen, and often does, that it will come sooner, especially when the method I have recommended of putting Salt in the Milk is used, and where

<sup>\*</sup> Synonimous Terms.

care is taken to have the Milk of a proper warmth, as in these cases the Curd co-agulates or collects sooner on that account: I believe it will be found that the additional time given will never be of any bad confequence, as the Curd then gets firm, and on finking, becomes more folid, and is easier made into Cheese, in less time, and with much less trouble, than when stirred or broke fooner. What is called funk Cheefe is always allowed to be the fatteft; when Curd is fully set, or fixed of a solid nature, by having time enough, it will incline to fink to the bottom of the Tub, by the affistance of the Hand to gently Press it down, gather, or collect it, and will foon become of a folid nature; most People break the Curd, by stirring it round several times with the Bowl. in order that it may be collected together. Sinking, is performed by getting it down, or finking with the Hand, without breaking.

In order to prevent a difficulty in getting the Whey to seperate easily when sinking the Curd, you may prepare a long Cheese Knise made with a Lath, one edge being sharpened sharpened to cut the Curd a cross from top to bottom, in the Tub, three or four disferent times crossing the lines, checkerwise, by which means the Whey rises through the vacancies made by the Knise, and the Curd sinks with much more ease. I have also known a sieve used to facilitate or hasten the Curd sinking, with Success, as it gives an opportunity to lade off the Whey clear from Curd, gets the Curd down much easier and saves Time.

When all the Curd is got firm at the bottom of the Tub, by pressure of the Hand, let all the Whey be taken from it; then let it stand one quarter of an Hour for the Curd to settle, drain, and get solid, before you break it into the Vat; if any bits of slip Curd happen to be swimming in the Whey, that does not sink with the rest, it had better be put away with the Whey, than put to the Cheese, as it will not cement or join with the solid Curd, and all slip Curd, as before observed, dissolves or melts, so that it is a detriment to Cheese when ever put in; many People, as soon

as the Whey is removed, immediately break the Curd small as possible, and then put it into the Cheese Vat, for finishing. I would always recommend that it rest one quarter of an Hour, before its broke, or vatted; the Cheefe would be much better for it, as the Air would more eafily separate, and prevent its puffing up under your hand, when fqueezing in the Vat, and also prevent the Fat squeezing out, as it often does through your Fingers; which being fo much broke, occasions, and certainly it must make your Cheefe, both leaner and lighter. I have consulted many good Dairy-women, on the Article of breaking Cheefe, and find, tis the most general Method to break the Curd as fmall as possible, when put into the Vat; but what makes that more absolutely necesfary, is, there being flip Curd amongst it, and that never appears to embody, or join with the rest, unless broke and thoroughly mixed'; and even then I am fully convinced is of no use for the reason above given; although I have laid it down as a rule, never to stir or gather the Cheese in less then an Hour and half; many of the best Dairy-women I have ever

ever consulted, generally let it stand two Hours; by which Time the Curd is got to be of so firm a nature, as to render the breaking of it at all absolutely needless, it being got fo folid, they only cut it in flices, put it into the Vat and work it well into it. by squeezing thoroughly to make it firm and close, then put it into the Press, and no more is needful. The finest; fattest and best Cheese I have seen. I have been informed was made this way; there is fure to be no fweet Cheese, horny-coated, or jointed Cheese made in this manner; many Dairywomen are much puzzled concerning the cause of sweet Cheese, forming different Ideas about it; I am fully convinced it is wholly caused by stirring or breaking it too foon in the Tub, by which means the Runnet has never taken full effect, nor is any Slip-Curd ever fit to make Cheese with, in what ever state it may appear, unless in soft Cheese, or slip-coat Cheese. When the Whey is of a white colour the Curd is not fully fettled, & if it is so to any great degree, the Cheese is sure to be sweet, and in that ease you are sure to cast away great part of what

what should be Cheese, for the Whey thus put away would neither turn to Butter nor Cheefe, though of a confiderable substance, remaining of an undigested nature; If you purfue the method I have laid down, you will always find the Whey quite green, which is the colour it ought to be of; and let more or less be the Time you adopt to put your Cheese together, if the Whey is not green, depend upon it your Cheese is not properly come, or your Maw-skin is not good, or quantity of Runnet not sufficient; it is difficult to affertain what quantity of Runnet is required to bring a Cheese in the most proper manner, as the quality of the Skin is so various, and strength of Runnet, as well as quality of Milk fo different; people are much divided in opinion, whether 'tis the best way to make your Runnet fresh every Day, or to prepare a quantity together, according to the quantity you want and bottle it up for use; in large Dairy's it must be best to make a quantity together, as you certainly must be a better judge of the quality, or what quantity is necessary, than when the making is left to chance, as by

by that means you may regulate the quality and taste of your Cheese better, and have more dependance on the time of its coming.

The best Dairy-women I have known, in general recommend the latter Method.

The cause of jointing or wind-shook Cheese, is from a fmall quantity of Slip-Curd being. much broke, so as not sufficient, to form Eyes. in the Cheese; but which is sufficient when dissolved through the whole mass, to leave a vacancy, which generally unites in a perpendicular direction, and forming cracks or joints within the Cheese and finking joints nearly like to cracks on the outlide. If it happens to any considerable degree, it causes the Cheese to have very little Taste, generally turns bluepared whilst under a year old, and often rotten Cheefe when older; most dry-rotten Cheefe is produced from this effect, unless when bruifes, or cracks are the cause. Wet, or moist rotten is generally produced by a larger quantity of Slip-Curd; having never united in a folid state, nor taken any Salt, becomes very putrid and rots, and as the Cheefe dissolves, is often very wet or moist. I have several times

times feen Cheefe that has appeared found till cut, that afterwards had not a pound of found Cheese in a whole one. Spungy Cheese is such as partakes of the elastic or foringing quality of a Spunge, I take it to be produced from Curd, which has nearly undergone every proper Fermentation to make the Curd unite, but leaves it in a very tough state, caused by the over heat of the Milk when put together. Rank, or strong Cheese is generally caused by too great a quantity of Runnet, and that Runnet made too strong to operate in the Time given. Hove, or heaved Cheefe is caused by different means; when the quantity of Air in Cheefe increases after the Cheefe has been some Time made, I suppose such Air to be rarified by a greater Heat than the Cheese has before been in, the coat being got hard and the pores much closed, the Air expands within, and causes the Cheese to rise or swell. in a round form; this is very visible when you put a Taster into the Cheese or a Pin to let out the Air, it rusheth forth with a strong Wind, of a rank disagreeable smell, caused by the Air being discharged from putrid or undigested

undigested Curd. Sometimes, if Cheese is laid cool when first made, or coming from the Press, is dried outwardly by means of a harsh cool Air, when at the same Time the infide of the Cheefe remains in a moist flate, though the Coat is hard and dry, when that Cheese is exposed to heat, either by lying near a hot Wall, or near Tiles in hot Weather, or by the immediate heat of the Sun, it will be drawn up, round, in the same manner, and by the same cause that a board is made round or cofferd up, by the heat of the Sun; rank Cheese very often heaves, from the cause before given that makes it rank, Cheese is very apt to split, or divide in the middle, by being falted within, especially, when people spread falt across the middle of the Cheese when the vat is about half filled, which Curd tho' in a small degree seperated by falt, never closes, or joins, and is much easier coffer'd up or drawn round than other Cheese; especially, thin Cheese made in what we call Glocester vats being round or rifing in the bottom, and the flider or Cheefe-board that is laid over it, made convex also, in order to make the  $\mathbf{D}_{3}$ Cheele

Cheese thinnest in the middle, that it may dry quick for early fale. Then, if falted within and being laid foft on the shelf to dry. as it bears only on the edge all round, it is almost sure to split; and it is often seen. fcarce a Cheese in some Dairys of this form but what do split; falting a little in the Milk is greatly preferable, for these Dairys in particular; for as falt disfolves, it keeps the infide of the Cheefe moift or foft for fometime; if falted in the Curd, which is what I would never recommend to be done in any Dairy, especially in the middle as is often done. I have fometimes known, Cheefe thus falted when there has been much Slip-Curd in it, and that, and the Salt both diffolving together, and the Cheese split, the vacancy shall contain a quantity of Water, which if Ironed when Young, gushes out, or else cracks the Cheese when moved. and the Water runs out to a confiderable degree, the fame thing must have been obferved by other Factors, in some Dairys where falting in the middle is used. Cheese is apt to bulge, fly-out, or get round edged, when it is either kept fost, by being moist within,

within, or having too much Slip-Curd or unsettled Curd, or elastic Air within it. Dry cracks, or wind cracks are generally produced, by keeping Curd from one meal to another which gets quite cold & fixed, & being put together with Curd that is made of too hot Milk, these two, never properly adhere, or join, and cause the coat to be harsh. and often fly, or crack, curdly or wrinklecoated Cheese is caused by Sour Milk, chiefly when Cheese is made from two meals, as 'tis very common in hot Weather for Milk to turn, or get four in one night's time, efpecially if Milk is hot when fet up, having been much heated in the Cow's Udder, and very probably much agitated and disturbed by Cows running about, or being heated to a violent degree, or the Milk having been carried in Churns or Barrels on Horfe-back any distance; Cheese made of cold Milk especially if inclined to be four, is apt to cut chifelly, or that breaks or flies before the Knife. Sunk-coated Cheese is caused by being made too cold, as you will often find Cheese that is made in Winter or late in Autumn, will be, unless laid in a warm Room

Room after it is made. Two-meal Cheefe is made with two meals, or night and mornings Milk, which if put together pure, not having the Cream taken off, will make nearly as good Cheefe as New-Milk, and much better if it must be finished in one Hour, or less, or when New-Milk Cheese is made with Milk that is too hot.

What is generally known by the name of Two-meal Cheese, is in Gloucestershire called Second Cheese, being made from one meal New Milk and one of old, or skimmed Milk. having the Cream taken away. Skimmed Cheefe, or Flet-Milk Cheefe is made from all skimmed Milk, the Cream having been taken off the whole to make Butter, or for other purposes: This fort of Cheese is much made in the County of Suffolk, or at least goes by the name of Suffolk Cheese, when at market, or in London, where the principal part of it is disposed of; it being much used on ship-board, not being so much affected by the heat of the ship as richer Cheefe, or fo subject to decay in long Voyages, and being bought at a low Price, makes

it much called for in that way. There is but little art required in making this Cheese, if care is taken of it, but yet there is great difference in the quality of it, which I am fully convinced is principally caused by want It is not exposed to fo many difficulties as richer Cheese, but Dairy-women must remember, Slip-curd has the same effect, in a leffer degree in Skim-Cheese as in New-Milk; though the Milk being much weaker is not in fo much danger. An Hour, or an Hour and a Quarter is time enough to give it in rendling; keep it warm when young and cool after. I know some Dairywomen do not give it three quarters of an Hour in coming, and thereby find more difficulty than need be; paying little regard to it, as they do not use it themselves, nor will it fetch much money, yet I know some careful Dairy-women who make Skim-cheefe that would deceive a common observer, in appearance, being made in the same form as New-Milk Cheefe, well coloured, made clean, and better coated than many ordinary Dairys of New-Milk Cheefe.

I have

I have paid in a Dairy of thirty Cows upwards of fixty Pounds in a Year for Skim-Cheese, an object not unworthy a Dairy-man's notice, fome people are of opinion, the most Money to be made of the Skim-Milk of a Dairy, is to feed Sows and Pigs with it, but this I must leave to those concerned in the Business. Dairy-women in order to enrich their New-Milk Cheese will put the Whey-Cream, into their Milk, which if quite fresh, not older than one or two Meals, will improve it. To make fine Cream-Cheese, one meal of Cream extraordinay should be added to the New-Milk; this will make exceeding Rich-Cheese, but requires great care, and should not be gathered or funk in less than two I apprehend two Hours and a Half or three Hours will be found much better in general.

The way to make fost Cheese, or slip-coat Cheese, is, take six quarts of new Milk hot from the Cow; the stroakings or last milkings are the best, being the richest Milk; put into it two spoonfuls of Runnet, let it stand

· stand three quarters of an hour, or till it is hard, coming, or become full Curd; lay it into the Vat with a spoon, not breaking it at all, laying upon it a trencher, or flat board; press it with a four pound weight, or if you find it gets too hard, then press it with a lighter weight, turning it with a dry cloth once an hour, and when got stiff, fhift it every day into fresh grass or rushes; it will be fit to cut in ten or fourteen days, or fooner, if the weather be warm; many people use Baskets, made on purpose instead of Vats to make it in, this is esteemed in private Families, where it is carried to market, Vats must be best, unless carried in the Balkets.

To make brick bat Cheese, in September; take two gallons of new Milk, and a quart of good Cream; warm the Cream, put in two or three spoonfuls of Runnet, when it is well come, break it a little, then put it into a wooden mould in the shape of a brick, press it a little, then dry it; it is best to be half a Year old before it is used, or more, if you like it older; two hours is as little

Digitized by Google

as it ought to be in earning, or to stand before it is broke after the Runnet is put in, or longer if the Whey is not inclined to be green.

Cream Cheese is generally made in Autumn, the Milk being richer and fatter in August and September; by which means it has not the warm Season to ripen it, and it is generally made thick, in order to preferve it's mellowness. Rich Cheese will not dry so fast as lean, nor thick Cheese so soon as thin; in course it must get less hard in the Season than common thin Cheese, by which means it is more exposed to frost and chilling cold. I have often found that people who make Cream Cheese, find more casualty attend them, than in leaner, hard Cheese, owing to chillness, or being froze before they get hard; for when frost gets much into Cheefe, it destroys every good quality, and makes it putrify, and become either insipid, or ill tasted; Cream Cheese fhould always be kept in a warm fituation, and be particularly guarded from frost, and till it has fweat well, or you lofe will the advantage

vantage of its richness. The contrary method is to be used with skim Cheese, as in that there is very little sat to sweat out, and chill Cheese is better than harsh-meated, horny-coated Cheese; let it have what warmth you can for about a fortnight after making, and then keep it cool.

In making flip-coat or foft Cheefe, remember it is of quite a contrary nature to hard Cheese; and instead of getting stiff, its best quality is to have it run, or dissolve into a creamy fubstance; for which reason it must be made with Slip-Curd, which alone will cause it so to do; good Curd will always get harder by drying, but Slip-Curd will not even become Solid, or continue a Subflance; this clearly demonstrates my Sentiments on Slip-Curd as before related. It has generally been reckoned that the Milk required to make one Pound of Butter will make two Pounds of Cheefe, and a larger quantity where Land is poor, the Milk being weak will not afford so much Cream.

As

As colouring of Cheese is now become almost an universal practice, it is highly necessary to pay a due regard thereto; Cheese, in its native state, that is well Manufactured, being put together in proper Time, the Milk of proper warmth, well cleaned when young, and kept Warm, till being regularly Dry, will naturally be of a yellow cast, and when a Year old will coat of a reddish or brown-red colour; the richer the Cheese, the more tis inclined to appear in this manner, and you feldom meet with Cheese of this native cast but what is exceeding good, being Fat, well-tasted, cuts slaky, is stout, or full-tasted, high-slavoured Cheese; and it is found that every country will produce some fuch Cheese, when in the hands of skilful Dairy-folks, though it has yet appeared in a fmall degree; you will find fuch Cheefe among the fine Dairys in Cheshire, Double-Gloucester, or Thick-Gloucester, being made double the Thickness of common Cheese, North-Wilts, in some few Dairys. in Derby, Stafford, Leicester, and Warwickshires, but there being so small a proportion of this best Cheese, and the demand for it being larger larger than the supply, a substitute is thought necessary, to make good Cheese look as muchlike fine Cheese as possible; from which cause the art of colouring originates, and much increases.

It is remarked by dealers in Cheese as well as others, that a much greater part of the People that eat Cheese, have little Idea how it is produced; they, finding the best Cheese of the fullest, or yellow colour, naturally conelude, or are led to think, that Cheese of a pale colour, must be made with inferior (or skimmed) Milk. So much this Idea prevails, that it is well known, in London, a Cheefe-monger will more readily fell good Cheese of a full colour than fine Cheese of a pale or inferior colour; London being the principal Market, or place wherethe greatest quantity of the best Cheese is fold. Colouring formerly used to be performed by various Drugs, as Turmerick, Sanders, &c, by Marigolds, Hawthorn-buds, and the like. The principal ingredient now used is Annatto, and in its best kind, is much the best colouring that ever was found out. Annat-

to is of two forts, known by the name of Spanish-Annatto and Flag-Annatto, the former is much the best for Cheese-colouring; being of a hard substance, and proper in kind, or texture, dispensing its colour in a regular and free manner, without being fubject to much waste or decay. The Flag-Annatto is brought over in a moist state, and wrapped in large broad Flags, which keeps it in some degree from waste; it is brought in that state chiefly for the Dyers use, and is a principal Article in Dying Orangecolour: if this fort is used in colouring Cheese before it gets hard, it is apt to appear in the Milk of an oily nature which prevents the colour taking effect in a regular manner, and is some detriment to the coming of Cheese; if it is kept till quite dry and hard, which in course of Time it will be, perhaps in fix, nine, or twelve Months, it is then very little inferior to Spanish. Of this last ingredient, mixt with others, the Druggists and Blue-makers in London, make large quantities of what they call Cheefe-colouring, often giving it the name of Spanish-Annatto, and there is some of it made, to very much

much relemble it, both in nature, and colour, But true Spanish-Annatto is much, preferable; I have known an ounce of it colour ten hundred weight of Cheese, of & much better colour than any other ingredient would that I ever knew: I have known it formerly fold in shops at three shillings; and four shillings per ounce; the great price it then brought at market, and getting very much into use, induced the American planters, at one time, to fend a large quantity, which fo much over-stocked the market, and lowered the price, that it was not worth their while to make it; and for that reason, very little of the genuine fort has come to England fince; but the same materials have come in flags, which come at a much lower price, though nearly as dear in the end, being so much heavier. and the colour not going fo far as the Spanish, nor is the colour so exquisite or blooming as the Spanish; that, giving the Cheese the bloom of native yellow Butter, when made in the prime season of Spring. An ill opinion having been formed of coloured :Cheese, and by many said that it is unwholfome, F. 4. ;

wholfome, in order to remove that prejudice, I will endeavour to describe its nature. It is made from the feed of a plant, of the flowering kind, much like to a balfam, the feed is so much like it, as scarce to be distinguished from it; I have sowed it, but without effect, our Climate being too Cold. I was fometime fince enquiring of a Jamaica Planter, how the Annatto was prepared for use: who said when the Seed was ripe it was covered with a slimy or unctuous skin like as Linseed is, which being steeped a little while in water, became loofe from the Seed and was rubbed off with a cloth or flannel, which being afterwards washed with water, was funk to the bottom; on pouring the water off, the Annatto was produced in a wet pulp, or paste, which being wrapped in flags, was ready for Dyers use.

In the Spanish Islands, they dry it and make it up in balls for use, and tis a principal ingredient in lacquering brass, &c. as well as colouring Cheese. I am well convinced that in its pure state, it is of a very rich settening nature, and improves Cheese

tØ

7

to a great degree, in quality; as well as cofour, as I never met with any Cheefe fo exquilite, that had not been coloured with it, as I have of that which hath. The way it is used in colouring Cheese, is, take a piece of Spanish-Annatto, which appears in form of a stone, then take a bowl of Milk, dip the Annatto a little into it, then take a pebble, or hard Rag-stone, on which rub the Wet-Annatto, washing off the Annatto into the bowl, till it becomes of a deep colour, then' put that into the tub, or pan of Milk you make Cheese of, (before you put in the Runnet or Salt) in such quantity as will render. the whole of a pale Orange-colour, which will get deeper, or increase in colour after the Cheese is made; one good property Annatto partakes of, it neither affects the Cheefe, in taste or smell. Cheese is often impregnated with Sage, by bruifing the leaves and mixing the juice with Milk, which gives it a green colour, and an agreeable taste. Some use Parsley in the same manner, but that is not so much esteemed for flavour as Sage. Marigold-flowers are bruifed and used the same way; these flowers are reckoned of a

E 2

very

very fattening nature and good flavour, and esteemed the most of any, and give the Cheese a colour nearly equal to Annatto. Cochineal is also used by the curious, being of a fine pink hue, and has a pretty essect, in the hand of an ingenious Dairy-woman, in making sigures of Flowers, Trees, &c. in Cheese.

Dairy-women who are fully of opinion, that no better method can be used, than that which they apply, are not often very readily convinced, that there are better methods of making Cheese than theirs. A Factor who is a good judge of Cheese, sees a great variety in the quality of Cheefe, and altho' most People like good Cheese, yet so easily is the difference discerned by nice judges, who have frequent opportunities of remarking it, that they can perceive a real and diftinguishing property, that causes a very different Idea in them, from what they hear advanced by the makers. Such a dealer is very certain, that in a large connexion of trade, he will find fome very good judges, who know how to prefer excellence in quality, and are well acquainted with the perfections tions required in the article, and perhaps from their fituation in life, are enabled to get a much higher than a common Market-price, for a superior Article: Such a Person will have such goods, in what place soever they can be met with, & knows also that in order to procure them he must give a superior Price.

A Person who engages to supply such customers, as such there are in perhaps every country, in a larger or lesser degree, must use his own judgment, and not depend on the good opinion others may form of their goods. He will find in a very large furvey, amongst Dairys, in the best country he travels, a very fmall proportion of excellent Dairys, or such as will supply those particular customers, and when he meets with them, is perhaps, obliged to deal them out very sparingly to the different good customers, that they may all wish to have some particular nice, and good Cheese for such of their Friends; who are likewise determined to have the very best they can meet with, very good fecond-rate Cheefe, is much more E 3 **f**çarce

fearce than inferior, and the best, will still find customers. Every dealer would be happy to find a large supply of fine Cheese, every maker of Cheese would be glad to have his Dairy meet with that preference. Some Dairy-folks will complain that there is not proper encouragement for making good Cheese; as Factors give for all Dairys in a neighbourhood, nearly the same Price, though some of these Dairys are not so good as others, by some shillings per hundred: But then let these people remember, that 'tis themselves only that sit in judgment in this case. Bring the makers of two Dairys together, and you will hear each of them give the preference to their own. The Factor must clear himself of this charge! For tis of dangerous consequence, for a Factor to complain of any fault in the Cheese to the maker, or not give it sufficient praise .-- Perhaps he will fay to the Person, whose Dairy may appear the neatest, and have had most care taken of it, and in the Eye of most people, had the preference, your Cheese is extremely neat and good, is fat and mild, and will please many of our best customers exceed-

exceedingly, will even stand in competition with Gloucester and Wiltshire Cheese, which is always neat, well-handled, and mostly essteemed by genteel People, your neighbour's Cheese is not so mild or beautiful, but has many good qualities, 'tis full flavoured, flout Cheese, such as is most in demand, is bought by people who do not fo much mind the beauty of it, as being profitable Cheese to buy, that will fpend well, or according to the common Phrase, will eat Bread well, and though there may be a few strong Cheeses amongst them, there are many customers wish to have them so. If you go into a Fair, you will find some people looking for handsome mild Cheese, but more buyers of stout, good fpending Cheefe, of which they must be better judges, what fuits their fale, than the makers .--- Certainly there are in most Countries, some few Dairys that have all the good qualities, beautiful, fat, fine flavoured, &c. and these generally find their way to the best market. There is one best way of doing every thing, and 'tis what in every way of life is a .cause of strife, a maxim I was taught in my youth was, never strive to be second-best, some one must prevail, and they that do must **f**trive E. 4

Rrive for it, the best way of doing a thing is as easy, when known, as the second-best. This emulation is what every dealer in Cheese would wish to discover in the breast. and proceedings, of the different Dairy-folks in his walk, that he might be enabled to go to market, as one, who could lead and command both the opinion & interest of the best 'customers: Such goods as would give that preference to him, would of course give the command in price to those who supplied him; for though the Cheefe they now make, may at present support their own good opinion, yet, when they come to find, that they have improved in so great a degree, as to enable them to fee excellence, where they only faw 'usefulness & blooming beauty, where only mediocrity appeared. Ambition & Interest, their bosom friends, will point out a new road to them, in which they will travel, not only as fwift & prosperous, as their rival neighbours, but will not leave them in an easy & composed state, till they have out gone them. 'In this happy track I confess I should be glad to meet many of my old friends & neighbours, in whose service I have laboured many a long day; and fo far as my abilities will

will support me, should be glad to be their conductor; but whether in my present purfuit, I may be so happy as to shew them the right road is very uncertain. If by opening their Ideas asresh, shewing them where Improvements may be looked for, and giving them some convincing circumstances, where such truths appear, they may be led to look farther to find better, I shall hope they are in a fair way to prevail. Some sew circumstances they perhaps may expect, to convince, and some fresh out-lines to extend the Ideas I have set on sloat. I will give you in a few instances, the way I came first to be moved in this pursuit.

The first that alarmed my Ideas, concerning the cause of sweet, unsettled and ill-slavoured Cheese was, I was once going by a house, I knew was notorious for as bad a Dairy as I ever met with, the Dairy-woman saw me, and said, wont you call and look at my Cheese, I am sure tis as good as my neighbour T---s, which you have been buying, I replied I sear not; come in them and see, she said; as soon as I came into the

the Dairy-chamber, I saw, and told her it would not fuit me; why not, she replied, I am fure tis every drop New-Milk, and nobody can take more pains with it, nor work harder at it than I do. On looking to the farther fide of the room, I perceived a Cheefe that was very blooming in appearance, handsome in shape, well-coated, firm, fat, and much larger than the rest. I said, pray how came that Cheese there--- I should be glad to know the History of it; why truly faid she tis a strange one. I replied if you will make fuch Cheese as that, it would be worth five shillings, or even ten shillings a hundred weight, more than the rest; says she, one night when I had rendled my Milk, a person came running to me, and said, neighbour T--- is groaning & you must come immediately; I faid to a raw wench I had to help me, now be fure you dont touch this Cheese till I come back, I will be sure to come to you when I fee how neighbour T--is; but it happened she was worse than I expected, and I could not leave her till after midnight. I faid, my Cheefe will be fpoiled, but the poor Woman shall not be lost for a Cheefe

Cheese: when I came home I found it not fo bad as I expected, put it into the Vat in a hurry, faying, it may possibly make a Cheefe that will do for ourselves, but I little thought it would ever be a faleable Cheefe,---well now----faid I, and is not this Cheese a proper lesson to you? dont you thereby plainly fee that you have made the rest too quick---why yes---faid she, it might, if I had thought at all---but I declare, I never once thought about it---Profound stupidity! thought I to myself, and left her--however, this plainly convinced me that Cheese in general was made too much in a hurry, and often when I came to a Dairy where the same complaint prevailed, I told them this story, and it frequently had the good effect, to produce good Cheese in the lieu of bad.

To corroborate with this story also, my own opinion, that good Cheese may be made by a good Dairy-woman in any place, or on any land; there now lives in the same farm, where this old woman did, a person who makes, without exception, as good a Dairy

Dairy of Cheese, in every point, as I ever met with in any country; I have had this Dairy, at a Fair at a distance for many years, and two or three people where generally at strife to have it, and it commonly happen'd, that it was made a point of by Buyers that if I would let them have that Dairy, they would buy their whole quantity of me, so that it generally was the cause of my felling three or four other Dairys along with it. Next, to shew that there are many Dairywomen do not make fo much Cheese from the fame Milk, or near it, as they might, er ought to do; on the evening of a very hot day, I went through a farm-yard, and was much pleased to see as fine a Dairy of twenty Cows as I had feen for a long time, on going into the Dairy-chamber, to my great furprize, I found a poor parcel of very lean, hungry looking, ill shaped, bad tasted, hove, and whey - fpring Cheefe,---I faid to the Dairy-woman, certainly this is not all the Cheese you have made from the fine Dairy of Cattle I saw in your yard! It really is, faid the, except the few that are not come out of the Dairy. I have been so ill for the laft

last two or three months, I could not poly fibly be amongst it, and I find my maids know very little of the matter. It is a poor parcel, and I am ashamed to see it, I replied your fervant takes a wrong method in making Cheese; I will engage to tell you how you shall make two Cheeses where you now make one, or one Cheese as large again: that difference, struck her much; if you will fhe faid, I will try it, and this very evening .... Then, faid I,--- as the weather is hot, take three or four quarts of fresh spring Water, or in such quantity till you find your Milk is what you may properly call Milk-warm, then, put two or three handfuls of Salt into it,----after that put your Runnet into it, and let it stand an hour and half before you stir it, if its two hours it will be bettér, and you will be fure to have more Cheefe, in that time the Curd will incline to fink eafily to the bottom of your Tub, then collect and gather your Curd,--let it stand one quarter of a hour to settle, then Vat it, and put it into your Press; let it fland in the Press two or three meals, turning it in the Profs once between the

the first meals, and at each meal after---she followed my advice precisely, the Milk
being at rest before I lest the house. Some
time after, I enquired of her how my advice
succeeded; she said, quit well, and I am convinced we had not made half the Cheese
we ought to have done. But observed, their
Pigs had been sound to thrive in a surprizing manner, and well they might, after having had more then half the produce of the
Dairy.

I once met with a young Dairy-woman at a Fair; who had a lot of Cheese unfold; after almost every Dairy in the Yard it stood in was disposed of; she asked me to buy her Cheese, having bought some adjoining Dairys; I objected, saying I do not like it, she seemed rather surprized, saying I am sure 'tis made of as good Milk and as well took care of as any of my neighbours that you have bought, I told her the method she took in making the Cheese was wrong, she seemed quit desirous to improve it is she knew how. I desired her to follow the method described above, exactly, which she promised

promifed to do, but observed it was so contrary to what she had ever heard of, she should be surprized if it made good Cheese. I said the Cheese you have here is very bad. the way to make good Cheese must be contrary to that in which this was made, for the like reason as when a person is in a burning fever, cooling medicines are applied to restore him; when very chill a warming remedy will have effect---she wish'd to know what were the faults of her Cheefe: I told her it was very loofe, fweet or illtasted; that rather displeased her, and she feemed to mistrust my knowing any thing of the matter--- faying--it is not sweet---how can you possibly know that never tasted it, I told her Cheese of that countenance always was fweet. I put my taster into one and gave it her to tafte, she acknowledged it was very rank, but wondered how I could know it was fo---I perceived the Cheese of an unsettled nature, that I had not a doubt the Milk had been carried in Churns or Barrels, I faid I imagine your Dairy-ground is some distance from your House, do you milk your Cows in the field

or drive them home, she said sometimes the latter, but generally the former, and brought the Milk home on horse-back. I told her how difficult it was to make good Cheese of Milk carried in that way; she said I find you know where I live, I replied I dont know so much as the County you live in, the feemed quite aftonish'd; I saw a husky dry coated Cheefe on the top of one of the heaps, that had dry cracks in it; I faid, I suppose you remember how that Cheese was made: she answered in the affirmative, when you made that Cheese, I said, you had reserved some · Curd from the meal before, and put into the other Curd, next meal, which having been rendled too hot would not join toge, ther, as I will shew you by the different Curds in the Cheese, which I did in my taster, the white looking Curd being the old Curd which caused the cracks, and the yellow the New-milk, (and you may always observe a mixture of that kind where Curd is kept, appearing marble & cutting chifelly)---She acknowledged that Cheefe was made in the manner I described. seemed very thankful for my advice, and purfued it very

very nearly the next Summer, when the produced at the same Fair the following Year a Dairy of Cheefe with very few faults; I pointed them out to her, told her how to remedy them, as in the rules before described: she thanked me, and the next Year with great pleafure shewed me an exceeding good parcel of Cheefe .--- A near relation of mine; who kept a Butter Dairy, was defirous of making Cheefe, and faid to me, I am en tirely ignorant how to proceed, but if you will point out the right method, I will exactly follow it, I gave her the same direction as to the former Dairy-woman, she followed it, and I am certain no one can make nicer, or fatter well-tasted Cheese than she did, being one Day faying how good her Cheese proved, observed she had one Cheese, then cut, that was jointed and blue pared. I wish I knew the cause of it: I examined it, & found it must be caused by Slip-curd; she said, she never altered the Time given for the coming of the Milk after it was rendled, on ruminating the caufe, I faid do you put your bowl in the Tub when the Runnet is in? She replied always; do you ever find

find any difference in the Curd under the the Bowl from the rest, on removing the Bowl?---Sometimes I perceive the Curd under the Bowl of a smooth slippery nature. and when I have tried to get it folid, I never can, it always flipt through my fingers, and fome of it would fwim in the Whey when the other was folid, which I always took care to break as fmall as flour, among the other Curd---I faid is the Bowl being there of any use? She did not know that it was: the took it away and had no jointed Cheefe after, in her Dairy; which plainly convinced me that the Air under the Bowl prevented the Curd from coming in the same Time as the rest, and that the small quantity of Slip-curd under it, was the fole cause of the joints that appeared, for there was not an Eye in the Cheese, owing to its being broke so fmall, which if any of the Slip-curd had been left in bits of any fize, would have caused Eyes larger or fmaller in the Cheefe, but now. it dissolved in the form, & manner before defcribed, in jointed Cheese---Another relation. being pleafed with her Sifter fucceeding fo well, followed exactly the same method, having

having wrote down every particular, and her Cheese was remarkably fine and good. These, and such like instances convince me that good Cheese may be made by Rule, or regular Method, on any Land, providing nothing very fingular prevents, as from weeds, plants, &c. or distempered Cattle. It is often observed poor Land makes the best Cheese; to those who are fond of mild Cheefe it very often does, the Milk being weaker or thinner, is fooner collected into Curd, than rich Milk, by which means it is often completely fit to fink or gather fooner, and has many chances of making good Cheefe by that means, or in the same Time allowed, than from better Milk, which will not become good Curd in the same Time that is given for the weaker Milk; and if the Curd is not folid and good, no art carr make good Cheese of it. But, if rich pasture, good feeding Land being old Turf, has proper Time given it to make good Curd, and the Cheese is well taken care of after, I always find the richer Grass makes the best Cheese and more of it. To confirm my Opinion, that breaking Cheefe in the F 2

the Curd is a needless and exceeding wasteful method, being lately at a friend's house who keeps a few Cows only to make Butter, and Cheese for their own use, and a sew friends, the Gentlewoman faid to me, I could wish to know the best Method of making fine Cheese, (having met with such at my relations, before mentioned) and defired my directions, and faid their Cheefe was apt to be a good while in coming when in the Tub, their pasture being rich old Turf. I told them to give it full two hours. or two and a half, recommended putting Salt in the Milk as before prescribed, which was done, and to fink the Curd instead of breaking it; after having a long knife made from a lath, I cut the Curd from top to bottom, croffing it many times, by which means the Whey seperated readily, then got a sieve and they therewith press'd down the Curd with great ease. Having settled the Curd well, and let it fland a quarter of an hour to drain, having laded all the Whey out, it become quite folid----then the Dairy-maid cut it in flices and workt it into the Vat. without ever breaking the curd at all; with very

wery little trouble, and in a fhort time she made a compleat handsome Cheese; sull one third part larger than any they had before produced from the same Cows, and continued so to do in succeeding days, the Whey being quite green, which they could never bring it to be, when broke & gathered in the Tub; and broke in the Vat afterward, which method certainly wastes a great deal of Cheese and much impoverishes it by squeezing the fat out in breaking.

A friendly correspondent, being a confiderable dealer in Cheese, knowing of my intended publication, is so kind as to savor me with his sentiments on some particulars; which, as some of them coincide with my own already described, and one in particular, promises great utility to very small Dairys, and will be a considerable means to prevent sour Cheese, by pointing out a method to preserve the Curd without hazard with his permission I lay it before my readers. "I have some years been trying to find out "the reason why Cheese frequently looks "of a grey dirty appearance, and which is F 3 "always

" always attended with a strong disagreeable " taste, and from enquiries and observations "I have made, I am clearly convinced it is " owing to the Runnet being kept too long, "and not being fweet when put into the " Milk. It is often the case in small Dairys " in order to make the Cheese of a tolerable " full fize, to make it but once a day, and in " hot Weather it is almost impossible to pre-" vent one meal being four, which must in-" evitably spoil the Cheese. I beg leave to " inform you of a method practifed with " good fuccess. A friend of mine who was " a Farmer's Daughter, and had been used " to a Dairy, marrying a person of a different " profession, they kept one Cow to give Milk " for the family, which being small she could " not use all the Milk; she then tried to " make Cheese of the surplus, and made " tolerable sized Cheeses, perhaps seven or " eight pound each, in the following man-" ner; when the weather was warm, she put "Runnet to the Milk as oft as the found it "necessary, once or twice a day, while it " was fweet; having feperated the Curd from " the Whey, she put the Curd into a broad " fhallow

4 shallow Tub, just covering it with cold " Water, and shifting the Water two or three " times a day as she thought necessary, and " thus kept the different parcels of Curd, " till she had enough to fill her Vat, by "which means, she made exceeding good " Cheese. Some good Dairy-women, I think " often err in the manner of breaking their "Curd; tho' they make good Cheese, they " might make better and more of it, if they " did not fqueeze out so much of the fat " in breaking; the Whey that first runs from " the Curd is always the thinnest, and was " that thin part first seperated, before the "Curd was much broke, it would certain-" ly leave the Cream in the Cheese, which " would but little of it squeeze out in put-" ting in the Vat, but when it is broke fo "very fmall amongst the Whey the rich " parts are squeezed amongst the thin Whey " and carried away with it. I know an in-" flance or two myself, of persons who I "firmly believe made their Cheese of real "New-Milk, yet broke their Curd fo much " that their Cheese was not so good as I have " had two meal Cheese. I think the method F 4 . .

" used in Norfolk and Suffolk to seperate the "Whey from the Curd, is much preferable " to that used in Warwickshire, or Leicester-" shire; when they think the Milk is suf-"ficiently curdled, they lay a strainer into <sup>9</sup> a basket (made for the purpose, ) which " they put the Curd into and let it stand to " drain for a time, before they break the " Curd." In regard to my friends opinion concerning what he calls grey, dirty looking Cheefe, 'tis often caufed by foul Runnet, but I am of opinion it more often happens when Cows have been drenched, either for the yellows or other complaints; and it will look of that countenance and get infipid, or ill tasted when much frozen, as I have more than once had Cheese in my own possession turn'd of that dark putrid colour after being much froze, that I knew was not fo before it was affected by frost.

Being lately in company with a Dairyman at a distance, talking about Cheese-making, he said he never used a Cheese-press, and said that his Cheese got hard as soon, and kept as well as those that used a Press, the

the method he used is, to make the Cheese in a Hoop (being chiefly thickish skim Cheefe, tho' he faid he often made New-Milk Cheefe in the fame way) that was open at top and bottom, which being filled with Curd, and well squeezed into it, was then set upon a board that had holes bored in it, the Hoop also being bored and cover'd with a board which was bored also, putting a moderate weight upon the board to settle the Cheefe; turning in upfide down, twice a day till it got stiff, and it answered very well. When Curd is firm, it will fettle and get hard with very little crushing, it is the Slip-Curd that is in it, that makes it require so much Pressing to fettle it, this method will be very useful in very small Dairys that have no Press.

Clover, or other artificial Grass, which generally contains more Air than common Grass, requires full time in bringing the Cheese; in its first operation, it should not be exposed to too much Heat, immediately after it is made, as the greater quantity of Air remains in the Cheese, the more effect Heat will have upon it, by causing it to heave,

heave, or split when the Air becomes rarified. Cheese made from Clover is rather more difficult to make, to even the best of Dairy-women, but I have feen very good found Dairys of stout, full flavour'd Cheese made from Clover, especially when a good deal of time is allowed to bring the Cheefe, and care is taken not to let it lye too hot after it begins to get dry. It is always hurtful to Cheese to lye too near tiles in hot weather. Dairys are subject to damage by noxious, or poisonous plants, roots, or trees. Where Cows are fed in pastures much addicted to wild garlick, or cow-garlick, ramfons, or wild chives, I have often perceived the rank taste of the Herb in the Cheefe; many people are at a fault to know the cause of bitter Cheese: which I have often observed is most prevalent from poor, or moderate light Land, and have frequently taken notice that where Cheese is bitter, their pasture is much addicted to black plantain, ribbed grass, or cock plant,---Dandilion, especially the rough leaved fort, centaury----arfmart ---- or lakeweed, tanfey, wormwood, meadow sweet---- I take yarrow

to be an ill favoured Plant for Cheefe. where it prevails much in Land, --- Hemlock --- henbane --- nightshade, cow-bane, cow-weed, water-wort, kex, drop-wort, yew-tree, box, and most other ever-greens certainly are. \* I have often observed in riding thro' Dairy-farms how little attention is paid to pasturage, Farmers frequently fuffering many forts of known noxious Plants or Weeds to flourish in them, without any concern to extirpate or cast them out, or of having the least thought of encouraging, or propogating such as are falutary or cheering to Cattle; I have often heard the remark made by Farmers that there is an inflinct in Cattle that directs them to avoid noxious Plants, and even directs nature to apply many as remedies in various complaints; we often read of wild Beasts, Serpents, &c. that are governed by fuch instinct. --- But it often happens that in very dry feafons, pastures are so very short that Cattle are obliged to eat any thing that is green to keep them alive, and 'tis well known they often

<sup>\*</sup> A description of noxious Plants, will be found at the end of the Book.

often do clear up every thing before them, and many fort of Plants that they will not touch at other times: I have often observed that in fuch feafons, Cattle are very much subject to violent disorders; I have known many die, without the owners, or cow-leech being at all able to account for the cause; and frequently taken notice that Cattle dying so suddenly are much subject to swell greatly, and often in the same Dairy that many have died apparently from the fame cause, and that such complaints are most prevalent in the Months of July and August. when poisonous Plants are in full vigour, I remember one person who had lost several Cows, who was a judicious person in Farming affairs, observe, that undigested Plants were found in their Stomachs, or Maws. when opened, although they had not ear any vegetable food for two or three days, which made him suspect they were poisonous, and 'tis very natural to form fuch an Idea.

There is no branch in Husbandry seems of more importance, or gives a larger sield for improvement than the conducting and managing

managing of Dairy-farms, as a great share of the health, as well as the lives of the human species, are in a considerable degree dependent, on the health and good condition of Milch Cows. Milk being a vegetable juice, or that yields a nourishment partly vegetable and partly animalized, partaking more or less, of the good or bad qualities of Plants on which the Cow feeds----Milk in its produce of Cream, Butter, Cheefe and many of our luxuries, is a constituent part of our daily food, through every stage of Life, confequently great care ought to be taken, with respect to the food of Animals, who furnish us with so great, and necessary a part of our fustenance, I have always thought fome knowledge in the use of Plants, a very agreeable amusement, and it would certainly have been much more my study, had I thought of ever having such an opportunity of making it useful. Such as have fallen, under my knowledge I have here endeavoured to describe, in which I acknowledge to have received much help from a late ingenious publication of Dr. WITHERING on' Botany, (being the first I ever met with in English

English after the Linnæan System, ) which I think a work of great merit. As the Dairy-man or Farmer becomes more informed of the nature of noxious Plants, he will furely think it worth his while to try to get rid of them, by rooting them out; and as it is well known that Cows are very much subject to scowring, and flatulent or windy disorders, it may be very well worth his while to fow or plant in his pastures and hedges, fuch herbs in proper quantities as are found to be the best remedies for these and such other complaints which Cattle are most incident to. Among many that might be mentioned the following herbs are very falutary, ( and if there is fuch an instinct in Cattle as fome suppose, they will know how to cull the best, ) lovage, agrimony, chervil, carraway, cummin, mint, bazil, hyffop, rue, angelica, pepper-mint, penny-royal, &c. I should think a very proper time to fow, or plant them, would be when you fet, or plant hedges, or when plashed, or the banks fresh made up, or in pastures where Ant hills are dug up and carried away, to fow them in the places they are dug from; It must

0

must certainly be an improvement of the first kind, to clear a Farm of all forts of noxious & poisonous Plants & Weeds, and flocking them with fuch as are healthful; falutary and medicinal .--- Trefoil and white Clover are esteemed exceeding good Grasses for producing Milk. But the highest encomium is given to Saintfoin Grass, as being fuperior to any other. --- An Effex Farmer who is a correspondent in the Bath society for promoting Agriculture, thus decribes it; " As the roots strike deep in our chalky " foil, this plant is not liable to be fo much " injured by drought as other Grasses whose " fibres shoot horizontally and lie near the " furface, the quantity of Hay produced is " greater, and better in quality than any " other, but there is one advantage attends "this Grass, which renders it superior to " any, and that arises from feeding it with " Milch Cows, the prodigious increase of "Milk which it makes is aftonishing, being " near double that produced by any other " food. The Milk is also better and yields " more Cream than any other, I give you " this information from my own observation, " confirmed

"confirmed by long experience, and if Far"mers would make trial they would find
"their account in it far more than they
"expect."

It is a pretty general opinion, that Saintfoin thrives only on up-lands, that lie near a rock, lime-stone, chalk or strong gravel; the reason given is, the roots strike so deep in the Earth, that unless it meets a check it feldom flourishes. That such Land, being rocky, or very shallow hungry soil that will scarce bear any other forts of Grass does produce great crops of Saintfoin, I have many times observed in different Counties; but as I meet with various Authors who fay, that notwithstanding that advantage there is in it, preferable to any other Grass, yet it always thrives best in a rich good soil, which makes me imagine it has feldom had a fair trial, and if the advantage as a Dairy Grass is fo great, it is highly worth the Dairy: man's notice.

We find many Farmers very industrious to improve their breed of Cattle, and set much

much store by blood and fashion. The Dairyman's chief concern should be to have Cows with good bags, or udders; that yield a quantity of Milk; and it is well known, by persons who keep but one or two Cows, that there is a material difference in the richness of Milk in Cows, and that when they fet up the Milk of different Cows, they find, one shall yield a much larger quantity of Cream than another; and many are known not only to yield more Milk, but even much better than the Cow which gives less; this is an useful remark to a Dairyman as the quantity of rich Milk is the support of his undertaking, and must in the end pay more than the fine form of Cattle, which may be of more consequence to the feeding Grazier. It is observed in Fairs, that the people from Wiltshire and other Dairy Counties, who buy Cows, always make a large bag in a Milking Cow, their first object, and those that buy Cattle for feeding pay very little regard to it, prefering a good Carcase; as Dairy-men are generally the breeders of Calves, it should be their first object, to breed from Cows, which produce

produce the best and largest quantity of Milk, and supply their own Dairy with that breed. I would always recommend to every Dairy-man, wherever it is in his power to convey running streams into his Dairygrounds,---to encourage his Cows to frequent scowers in Brooks or running Streams; Cows certainly like clear Water best, and it always produces most Milk; and keeping them cool, the Milk is much easier made into Cheese, or Butter; when Cheese goes from the Press, let it be kept in as warm a fate as you can, till it has had a sweat or is got pretty regularly dry, and stiffish; It is warmth that makes Cheese Ripe, improves the colour, and causes Cheese to cut Flakey, the furest fign of excellent quality, which is very clear to those who know the great difference there is in Cheese that has gone by Sea in the Summer-time to London, or any distant Port on our Coast, having been thoroughly heated on Ship-board, by the heat of the Season, and such large quantities being in the same apartment. I dare fay any Person who has eat Cheese in the finest Dairys in Cheshire, and also in a Tavern vern in London, when the same fort. of Cheese has undergone the Heat of a Ship, and afterwards been laid in a Wine-cellarto cool gradually, and make it Mellow, which is allowed to be the best situation for finishing Cheese, it not being exposed to harsh Winds, or chilling Air, such Person must allow the Warmth it has received, improves the flavor and richness of the Cheese to a superlative degree. I would recommend, where it can be avoided, that hard Cheese is not kept in the same Room with the fost, as a Dampness that arises from the new moist Cheese is a detriment to the improving state the hard Cheese is getting into, making it very apt to chill, and get thick-coated, and often spotted; in some measure there is an analogy with the fine flavoured Fruit, this being the Season that Cheese may be supposed to come to its Flavour, and the foul Damp that falls from the exhalation of the foft Cheese greatly retards it, and being deprived of a chearing Warmth, will never become excellent. Cheese never tastes agreeably till it has had a sweat, such as is always kept in a cold  $\mathbf{G}_{2}$ state

flate eats Chill, flat-tafted and infipid; fouth aspect, or a Room over a Kitchenfire is much best, till Cheese is got tollerably Hard and had a Sweat; a cool shady Room, or even a Plaster-floor is best after it has had a sweat, till such Time as the Weather gets too Cool. Cheese very seldom heaves or gets puffy after it has had a fweat and got cool again; the fat that melts with heat, closes the pores of Cheese made open by harsh Air, and keeps it Mel-The fweat of Cheefe low afterwards. fhould not be rubbed off, or scraped off, unless it has sweat to a violent Degree, as it keeps the Cheese Mellow and always improves the Flavour. To have every excellence it must have every advantage. ---- In Wilts, Gloucestershire, and some part of Warwickshire, most People wash their Cheese, putting it in a little warm-Water or Whey to fosten the swarthy-coat occasioned by the Cheefe-cloth, or not being rubbed when it begins to get coated, then they rub it off with a Brush, and afterward lay it to dry, or fweat before it is laid in the Cooler: apartment; many prefer rubbing it with a Hair-cloth

Hair-cloth beginning with it when Cheefe is fit to handle, and not wash it. If Cheese is defigned for going by Sea, or for speedy Confumption, I think washing is preferable, care being taken not to fend it off too foft, as that exposes it to crack, then the Fly takes it, and Maggots breeding in it damages your Cheefe. When Cheefe is defigned to be kept long in the Dairy, if kept well cleaned, I prefer the other Method, as the Coat preserves it, keeps it Mellow and improves the Flavour. Frost is very detrimental to Cheefe if permitted to get into it, especially, soft young Cheese; care should be taken to keep the Windows close in hard frosty Weather; many will cover it and even lay it in Peas-straw in severe I have known all the good quali-Seafons. ties of Cheefe annihilated or taken away; by being Frost-bitten when Young; it is apt to turn black as if made with footy Milk, and not have the least taste of Salt, or and relish remain. It is a very common method to feald Cheefe, either in the Curd, or in the Cheefe; the former I quite disapprove, the defign being only to fettle the Curd  $G_3$ which

which has not had Time given it to fink folid in the Tub, which if done, will want no scalding; boiling Water, or boiling Whey poured upon it will fet the Curd in some degree, and fix it hard, but then it always leaves it Tough and Horny-coated, if it is fcalded to any great degree; more time taken in bringing the Curd, and having the Milk of a proper warmth, will render this whole proceeding quite needless. People are only feeking a remedy for a fault which they had no fort of Occasion to have been troubled with. Scalding Cheese after it has been in the Press is of some advantage to Cheese going by Sea, that only being to let the Coat and toughen it, is not fo much expofed to bruifing, and the Heat of the Ship recovers it again to its proper state by removing that toughness which scalding gave it; but Cheese for Country Trade, is hurt by scalding, making it Tough and Hornytoated. If Cheese gets hard that has been scalded, the best way to recover it, is to lay it in a Heap, four, five, or fix high in a coolroom, stirring and removing every Cheese once in two or three Days, till it is got Mellow.

Mellow. In many Counties, as Lincoln, Huntington, Bedford, &c. People take very great Pains to make bad Cheese, if a good Dairy-woman happens to come amongst them that sells Cheese for a much greater Price than they can, yet they will sollow their own Method; perhaps, some sew of them at least, when they come to see Dairying plainly delineated, may have some inclination to alter their Plan, unless they prefer bad Cheese to good.

Many may wish to know what is a proper Size for Cheese-Vats for Trade. For Cheese of the Gloucester make, we reckon that Vats ---- 15 Inches Wide by 2 ½ Inches Deep to make Cheese, Eleven to the Hundred Weight.

 $15\frac{1}{2}$  Inches by  $2\frac{1}{2}$  to make Tens.

16 Inches by 2 ½ to make Nines.

 $16\frac{1}{2}$  Inches by  $2\frac{1}{2}$  to make Eights.

16½ Inches by 2¾ to make Sevens, &c.

Since writing the account of the Maw-skin, I have heard of a Plant called the Runnetplant; It is the first Time I ever heard the G 4 Name Name of it or the least hint concerning it. I am informed the Jews make all their Cheese with it; their Law not permitting them to mingle Meat with Milk, which term they apply to making Cheese with Maw-skin, I have frequently seen Jew Cheese, but never saw any that I thought good or tollerably so, makes me imagine it is the necessity of principle only, that promotes its Use, but as I am an entire Stranger to the process, shall be greatly obliged to any one who will savour me with any particulars concerning it, with its qualities and Manner of Use.

\*\*\* The Plant is described among st others at the End of this Book.

Having now gone through the design of the work, and laid down such observations on the principal concerns of Dairying, so far as relates to Cheese-making, as occur to my remembrance, I take my leave of it, hoping in general it will be found useful and expedient, and before I conclude, earnestly recommend it to such Dairy-women who find

find any difficulty in their proceedings in the bufinels of Cheese-making, or wish to improve their make of Cheefe, that they will, well weigh every part of the subject, and make trial of the whole process, as flated, in its different parts. As I am well convinced, by repeated trials that if the plan I have laid down is observed with care, it will not fail to make good Cheese. And though it may be objected by many; the length of time of the Milk standing for Curd, yet fo compleat will the state of the Curd be, that you will often times more than fave that time in crushing, as it will be finished in half the time that bad Curd will take, and by the extra weight of Cheefe, that time will give, will at length repay all your trouble; I well know, many Dairy-women are partial to some particular method, or nostrum of their own, or their mothers, or neigh? bour fuch a one who was a famous Dairy? woman, as being preferable to all others, in which they often fail of fuccess, in some respect by having omitted to observe the exact minutia of their practice. As a very fmall omiffion, in time, or method, fometimes

times leads them into a labyrinth, which they very rarely ever get out of, and causes them more vexation and perplexity, than if they had never known any thing about it. Or, if their's be a good method & very practicable, perhaps it is possible there may be a better, or easier means of proceeding, that will render their Plan quite needless.

I hope that those who wish to improve from my Instructions, will give it a fair Trial, if any at all; they need not fay they are left in the Dark in any part of it, as every particular is made plain and most of them repeated, as precept upon precept, and line upon line. Let them be particular however in the main concerns, such as the proper warmth of the Milk, the goodness, and use of the Maw-skin, to give it Time enough in the Tub, or Cheese-pan, to keep the Cheese warm when young, and cool afterwards, then I think they will scarce fail of making good Cheefe. If they mean to excel, and make fine Cheefe --- and why not?---Then I refer them to the more minute Observations of the Work, and I wish, and hope,

( 107 )

hope, that they will find their Pains well bestowed, and afford them both Comfort and Prosit. I doubt not but Methods used in different Counties vary a good deal. Some perhaps may be pointed out that are preserable to some of mine, and if any Person will be kind enough to point them out to me, or shew me where any thing has been omitted, or Error committed, if a second Edition should be called for, I shall very willingly communicate them to the Public.

ON



#### O N

#### B U T T E R.

UTTER is an Article in very general use, and numerous are the people employed in making it; and is in great esteem; from observations I have made, it admits of very little variation in the method of preparing, which methods are so generally known, require very little commentary upon them; I profess not to understand them, and therefore shall say very little about it. What little I have remarked in converfing with Dairy-women, is, that care should be taken to set up your Milk when it is of a proper warmth----Milk-warm is the best, regulated the same as for rendling Cheese, applying a little cold Water if too hot, and either warm Water or Milk if too cold; many think Water best faying, it will throw up Cream fooner; to take care the Utenfils it is fet up in are exceed-

ing clean---the utility of which I think is clearly made appear by observing the effect of a contrary remark in making Whey Butter. ---- Indolence, finds out many ways, which Industry never thought of .---Some Butter-Women, whose care more, to make a large quantity, than regard the quality or flavour of Butter, will tell you, that four Whey, yields more Cream than fweet, and it immediately turns four, by putting it into the Pans you poured the last meals Whey from, without washing them. But in making good Butter, great care must be taken to prevent the Cream's being four, or your Butter will be ill flavoured, and will keep good but a very little time---That lead Pans are preferred to every thing, in throwing up, or rifing the Cream from Milk. Not to let the Milk stand too long before it is skimmed, especially in hot weather .--- If it must stand two meals, it had better be skimmed twice, than to let it stand the whole time for one skimming, as the Milk often turns four before the expiration of two meals; and if the last meal should change, you may then be enabled to keep all the fweet Cream by itself .---- The less

less time the Cream stands before it is churned, the finer slavoured and sweeter your Butter will be.

Nothing is more commendable in a Dairy-maid than cleanliness, nor will any thing cause them to be more esteemed; every one who preceives extream neatness in a Dairy, cannot help wishing to purchase either Butter or Cheese from so clean and neat a place, and would gladly give a higher price, rather than be exposed to the chance of sluttish nastiness, too common in many Dairys. It is remarked by many Travellers, that in the Isle of Wight, nothing is more pleasing than to see the exceeding neatness of their Dairys; it very rarely goes unnoticed, and to a delicate taste, scarce any thing affords greater pleasure.

As Butter is become a very considerable Article of Trade, it is highly proper every means should be rendered to make it as complete and perfect as possible; it is very different in regard to purchasers of large quantities of Butter, who must take lots as they happen,

happen, and in which very often a confiderable part of them are very inferior to what they ought to be, and to buyers of fresh Butter in Markets; who can fee and taste it before they buy, which is a caution to the makers to have it well made, knowing it will be inspected before fold, those who put it into Casks or Firkins, for distant sale, are apt not to be so very careful about it. I have heard frequent enquiry by Cheesemongers, or dealers in Butter, what is the cause of Salt Butter being so subject to get rank, strong tasted, or rancid, or what some people call a fifty tafte, which is a very great detriment to dealers in Butter, and the cause of the complaint much wants to be known; being well acquainted that the complaint is very frequent, has often led me to enquire into the cause when an opportunity has offered, being lately converfing with a person on the subject, he said it was very common in Suffolk, & Yorkshire, to heat the Milk before it was fet up for Cream, which is done in order to encrease the quantity of Cream. It is well known that every fat substance that is heated, will in course

course of time turn rancid, or reezy, that when Butter, of the last year, or a year old, is in the Cask through the Summer, the heat will affect it, and so far as the heat gets into it, will reeze or get of a tallowy nature, fat Bacon will reeze fo far as the fat melts, and the heating of Milk must certainly alter the nature of it, and in course of time will cause the Butter to turn rancid, and ill tasted. I have heard it observed by a person who is used to buy fresh Butter that was made of heated, or clouted Cream, (which is a method much used in some parts of the South of England) that it is very apt to get foul and will keep good but a very little time. So that from all remarks I have been capable of making, it seems clear to me that the badness or foulness of Butter. is chiefly owing to the Milk being heated, and is a hint worth the enquiry of the public, especially large dealers in Butter, in order that some method may be taken to prevent an evil that is become fo very prevalent.

SOME

# SOME ACCOUNT

Noxious, BITTER and Poisonous, P L A N T S.

IBWORT, ribbed grass, black plantain or cock plant, this plant may not properly be ranged among bitter plants, it not being bitter to any great degree but I have often thought, upon examination that the bitterness in some Cheese more resembles the taste of this plant and dandelion than any other whatsoever, and in barren soils they are apt to prevail more than any other.

Arfmart, or lakeweed, is a bitter plant, well known; 'tis faid to produce an effential oil, or oil extracted by distillation, which I should imagine more likely to affect the bitterness of Milk than colder plants, it is apt to grow very strong after being mowed, and I have not observed that Cows

H refuse

refuse or leave it untouched more than ether plants in common. I think this plant much more likely to cause the bitterness of Butter in Autumn than the falling leaves to which it is generally referred, though many people are of opinion that Cows eating ash leaves in Autumn, causes the bitterness in Butter.

Meadow-sweet----is a bitterish plant that Cows are fond of, especially the fort that grows on up-lands, commonly called dropwort, the meadow-sweet of low-meadows is a fort they do not readily feed on where there is plenty of Grass.

Centaury, lesser centaury or gentian, is an extream bitter plant, bears a pale red blossom with many florets, or peeps, on an upright stem in old Pastures, blows from June to August, I should imagine it must be hurtful in Dairy-ground being a very penetrating bitter.

Hemlock, with stems and branches spotted with brown, or black, and white slower; the the whole plant is poisonous, it grows in hedges, orchards, or among rubbish, and is very common.

to

Henbane, with bloffoms purple & brown--indented leaves, embracing or cleaving to
the stem, grows on road sides or among
rubbish, the seeds, roots, and leaves taken
internally are all poisonous.

Nightshade, grows in moist brakes and hedges, with bluish blossom, sometimes inclined to slesh colour, sometimes white.

Deadly nightshade—dwale—or belladonna is the worst specie, growing in woods,
hedges, among lime-stone or rubbish; the
stem is herbaceous or of a herby nature,
the leaves, spear, or halbert shaped, the
slowers of a bluish purple with a bright
yellow thrum, chives, or pointal, appearing like the snuff of an expiring Candle,
the berries grow in very handsome bunches,
first green, than a sine red, next a beautiful
black, are very tempting to Childern having
cost many their Lives, causing stupor, deH 2 lirium,

(116)

lirium, and convulsion, and are certain. Death if not prevented by timely and plentiful vomiting; this plant cannot be too well known being so very common in most Countries, and so tempting, both to Children and Cattle.

Cow-bane, water-virosa, or water-hemlock --- with rundles or flower branches opposite the leaves, leaf-stalks with blunt borders, with about seven pair of little leaves, which are variously, divided and indented, petals, or leaf of the flower, yellowish pale green, grows in shallow waters, is a perennial plant, or that continues from year to year, blows in July; this is one of the rankest of our vegetable poisons; numerous instances are recorded of its Fatality to the human species; an account of it may be seen and an engraving in Martin's Philosophical Transactions, Vol. 10. Early in the spring when it grows in the water, Cows often eat it and are killed by it, but as the Summer advances and its finell becomes stronger, they carefully avoid it, though a certain fatal poison to Cows. Goats devour it greedily

Y 117

greedily and with impunity, Hories and Sheep eat it with fafety.

Cow-weed, or wild Cecily, grows in hedges, blows in May, or June, with white flowers, roots like a Parsnip, and is very poilonous.

Water-wort, Water-hemlock, or Water-lkeleton, is esteemed a fatal poison to Horses, occasioning them to become paralytick, which is owing to an insect called Curcutia Paraplecticus, which generally inhabits within the stems; the usual antidote is pig's dung, the branches of the leaves stradling—stem very thick, hollow, scored, petals or slowers white, grows in rivers, ditches and pools, blossoms in June; in the winter the roots and stem diffected by the influence of the weather, afford a curious skeleton, or net-work.

Kex, or water-parinip, with white flowers in July or August, grows in rivers and sens, is very noxious to cattle; also the lefser Kex called upright water-parinip, in rivers and ditches, is very common, blossoms

Нз

in July and August, leaves halbert shaped, rundles or slower-branch opposite the leaves.

Drop-wort, or dead tongue grows on the banks of rivers, bears a white flower in June, the petals or leaves of the flower sharp----bent inwards, tips purple or brown----the whole of this plant is poisonous, the stem is a yellowish red, the leaves smooth, streaked, jagged at the edges, the root is the rankest and most virulent of all vegetable poisons.

Mithridate---or penny-crass, grows in corn fields with oblong leaves, toothed, smooth, white blossoms; the whole plant has something of a garlick flavour, the seeds have the acrimony or sharpness of mustard; Cows are rather fond of it and I should think their Milk is often affected by it.

Penny-wort, or white-rot, grows in marshy springy ground, with a pale red slower, blows in May; many Farmers suppose it occasions the rot in Sheep, but I should expect that complaint proceeds from a very different cause; though, if slowks that are supposed fupposed to be the certain cause of the Rot, or the spawn of them, are taken in with the food of Sheep, as some imagine, it is possible the Ova, or Eggs of this Insect may be deposited in this plant, which to know, may be worth the Farmer's enquiry,

### Some Account of the RUNNET PLANT.

YELLOW Verum---Goose-grass. The Leaves growing by eights, or eight leaves round the stem, strap-shaped----fur-rowed----the flowering branches short, blos-foms yellow.

English Names, are yellow ladies bedstraw or Cheese renning, or petty muguet;
it grows in dry ground, on road sides, very
common, is perennial, blows in July or
August. The slowers will coagulate boiling Milk and some Cheshire Cheese is said
to be made with them; according to an experiment from Borrchius they yield an Acid
by distillation. The French prescribe them
in hysterick and epileptick cases, boiled in
Allum-water they tinge wooll yellow, the

Digitized by Google

roots dye a very fine red, not inferior to Madder and are used for this purpose in the Island of Jura. See Pennant's Tour, 1772, Sheep and Goats eat it, Horses Page 214. and Swine refuse it, Cows are not fond of it. If the roots will answer the same purpose as Madder it highly merits the observation of Callico Printers and others, who use large quantities of that Article, as it is the most common weed, and what in the month of July, there is more of than any other weed, and if the flowers will dye yellow, and make Cheefe, it must be a very valuable Plant and be a great help to the poor to collect it, as it grows on all road fides, old pastures and hedges in great abundance.

I have omitted giving the Latin names of Plants, not having sufficient knowledge in that Language; but such of my learned readers who wish for that addition, may refer either to Dr. Withering's, or other books on Botany, to Chambers, Croker, or other Dictionaries.

A DIS-





#### A DISSERTATION,

O N

## APPLE-TREES.

HE Apple-Tree, being so much propagated, in most parts of this Kingdom. I should suppose is as well known as any Tree whatfoever. a Tree of great importance, especially in the Cyder Countries, is much planted for common usefulness in all parts; the variety of its Fruit so much admired; and as I have long perceived a great deficiency in the Culture of so useful a Tree, makes me wish to give a few hints to encourage the improvement. It is not my defign to write a Treatise on the general propagation of the Tree, or the variety of its Fruit. But as it is subject to many evils, which at prefent

fent have very little regard paid to, or any endeavours to remove them, I dont know when I should have an opportunity of affording my Country fo much fervice on that head, as by subjoining my thoughts thereon to my Treatife on Dairying; especially as it much concerns and affects the same People: As generally where there is a Dairy, there is an Orchard more or less, and the difference between good bearing Trees, and poor ones, is too evident to need any apology for the defign. I observe in Orchards in general, very little regard is paid to Culture. When Apple-Trees are planted, take to growing, and become fruitful, they generally take their chance for every thing elfe. But a proper method of Culture, adds greatly to the improvement as well as the encrease of the Fruit, and as I never knew but one Person who made a point of managing an Orchard properly; and where I had an opportunity of observing the utility of it; I dont know how I can give a better method, than in describing that, as I never saw finer and better Fruit, or more plenty of each; fort produced. The chief difficulties in, Orchards

Orchards generally happen when Trees are fully grown, being very subject to get foul, knotty, decay'd & drooping with Age, when they should be in full vigour; owing to the want of a little care in time. It is properto observe, that young wood in Trees, that. are kept clean, always produce the finest and best Fruit, and the most of it. When you have young Trees, always be careful to keep in them fuch branches, as will get strong, and capable of bearing Fruit; cutting out fuch branches as grow luxurient, or drooping, and take care to keep all parts ofthe Tree equally full of Wood, by which means they will be apt to grow upright, and always take care to have the branches kept free and open to the Sun and Air, which ripens and much improves the Fruit---not leaving them crouded in any part----always take care to keep the Trees from getting Mosfy, which may easily be done by taking care in time----where foils are very shallow, lying near sharp gravel, stone, or any hard. fubstance, they are very apt to get foul and weak betimes, and Trees in fuch fituation will foon decay; but there are fome kinds that

that will thrive and continue longer in such foils than others, and when you find that to be the case always plant the best fort of fuch Trees, that are known to flourish in the neighbourhood; you will often find in fome Countries that are unfavourable to Apples. that there are some kind of Crab-Trees that flourish very much, and bear plentifully of fine large Crabs; where this is the case you may depend upon it that the foil is favourable to that kind, most likely the roots' strike more horizontally and thrive better than those sorts which strike perpendicular; I would recommend that you fow the feeds' of fuch Crabs, to raife fets or stocks to graft your Apples upon, choosing such plants as are free from tap-roots, or cutting the taproots off when you let them, \* which if done when young will throw out roots' horizontally, and become stronger, and not be so subject to decay the Tree. By which means you will overcome in a great measure the diffculty of the fituation your foil is exposed

<sup>\*</sup> Fap-root is one that grows perpendicular to the trunk of the Tree.

posed to; and may then engraft, good Fruit on these new raised stocks with success.

When you plant young Apple-Trees 'tis a very good way to open a hole in the ground four or five feet wide, and three or four feet deep, lay the foil up, and let it lie open for two or three months, or longer, if you intend to put the same soil in again, if you turn it over once a month it will better imbibe the nitrous particles of Air, and other atmospherical help, and increase its fertility, but where you can conveniently do it. I would always recommend it, to prepare a burrow of foil a year before, from old Turf, cut off road fides, or fresh soil of a different kind from that where your Apple-trees are to grow, that has been mixt with rotten Muck, and turned over two or three times; a strong loomy foil inclinable to clay is preferable, if your Orchard is mold or light foil; in which let let your Trees be planted, which will cause them to throw out vigorous roots, and when they come to strike into the native foil will imbibe fresh salts and grow with more strength; your Tree will then get

get strong in its youth, which it will never forget; take care in pruning your Tree to leave only fuch branches in, that are well fituated, to make your Tree handsome and flrong, preferring branches that point upwards to those that droop, never ending or toping any branches in a young Tree, unless where you want a supply of young wood in your Tree. Thus you are laying a good foundation for a handsome fruitful Tree. Examine your young Trees, if any Moss appears on the stem or branches. rub it off: a Pail Brush with end hairs is useful for the purpole, as that will cleanle forked Branches. Gardeners commonly rub the moss off after a shower of rain, as it then parts eafy from the tree; if you dip your brush in soap suds it will have a good effect, and is a great antidote to the very minute Infects that are a means of fouling Trees, by the fine webbs they spread upon it. Moss, is a great enemy to Fruit-Trees, not only destroying them itself, but is a receptacle for the various Infects which inhabit the Tree. to deposit their Eggs in, against the ensuing Year, some of which remain in the form of Eggs

Eggs during Winter, the Infect reviving with the warmth of spring, in the form of a grub or caterpillar, others in Chryfalis, or shell des posited under the Moss or Bark of the Tree; from which the fly, moth or butterfly refumes its form, as warmth calls it forth----You may by common observation perceive that Infects of the butterfly or moth kind encrease their specie by Eggs, which transform first into grubs, caterpillars, worms or maggots of different kinds according to their specie---then secondly to a nymph, chrysalis or aurelia, being a shell composed of the outer skin of the catterpillar---then thirdly from the chrysalis, comes forth the moth or butterfly. You may also observe that each different fort or specie feed on a particular Plant or Tree, and on nothing elfe---that the Parent always lays its Egg, on those Plants or Trees that support the caterpillar in its reptile state----as you may observe the white butterfly always lays its Eggs in the leaf of a cabbage or colliflower---other kinds of butterflies lay their Eggs in borecole---others in other Winter greens---the grubs being different-the caterpillar lives as long

as its time of growth continues, then retires to the earth into its chryfal state, and such of them as survive the severity of the Winter and other mischances, revive with the Spring in a new race of butterflies or papilios----Moss is a plant that grows on Trees, and shoots out a prodigious number of little roots and branches----What makes it injurious to the Tree, is the number of roots greatly exhaulting or draining the fap of the Tree, and together with the branches of Moss, covering greatest part of the body of the Tree, close, in a great measure the Airvessels, and consequently, render the Tree incapable of respiration, and the Moss imbibes the chief nourishment from Dews and Rains, which the body of the Tree thould acquire, leaving only the root, leaves and lateral branches, for affording the support of Tree, bloffom and Fruit. The destruction of fo great an enemy as Moss, is of amazing consequence to the well being of Trees. When Trees are young--or in Trees near hand, as Gooseberrys, Currants, Walltrees &c. it may be easily kept down; when grown to a bulky Tree, the same method will

will not do; a more extensive one is recommended, viz. in November, or December, when the leaf is fallen, and the buds not advanced, take a boltin, or bundle of Wheat or Rye-straw, from which take as much as your hand will grasp, if a large Tree, of less to a smaller. Tye it, or twist some straws round to keep it from spreading, then fet fire to one end of it holding the whifp in your hand, draw the fire gently along the Tree or Branch on which the Moss is collected, backward and forward, with a motion sufficient for the fire to catch the Moss, and burn it, but not to catch the bark, by which means you destroy the Moss, and give the Tree free Air.

By burning the Moss, you destroy at the same time, the Ovas or Eggs, the Chrysalis and grubs that would infect your Tree the next and suture Years, and give new life and vigour to your Tree, a careful hand may perform this fiery operation without injuring the branches at all, and would be apt to do it better in the evening then by day-light-----it is a good way to sweep I

the Tree afterward, especially the forked parts to prevent a lodgment of filth--where there is many large Trees, it will be a great work, the best way is to do some one Year and some another---young Trees will very easily be kept clean, by this method.

When Trees get old and knotty, the best way is to lower the foul heads, by degrees, taking two or three away at a time, once in three or four Years, by which means you may ingraft a fresh on some, or train new shoots from others; always remembering to keep one or two upright branches on the Tree till your young wood begins to flourish; as that will draw the sap upwards to encourage the young shoots, which often for want of that precaution is very hurtful, and many times destructive to the Tree---When we furvey a Catalogue of the numerous Infects that live, breed, and feed on the various forts of Apple-trees, Pear, and Crab-trees; fome on one kind and fome on another---'tis no wonder that their progeny should some times destroy the whole foliage of the Tree, as well as its tender branches.

The

The learned Botanist informs us, that the various kinds, produce, and feed, the great Tortoiseshell Buttersly, December moth, spotted buff moth, Lappit moth, Yellow tuffock moth, Codling moth, Yellow-headed-fly, gypfy moth, black tuffock moth, pear-loufe, Grey chermes, Black curcutio, Yellow tail moth, Dagger moth, Plumbtree moth, Black arches, Apple louse, Garden beetle, &c. besides many kinds of Spiders, and creeping Insects .-- It is often times seen, in dry parching Seasons, that they will devour every leaf and bloffom, and destroy even the tendrils and foot-stalks---one principal reason why these Moths are so little known, is, they are mostly nocturnal, or Night Insects.

You will find on examination, that the burs or knots on Apple-trees are all inhabited, having various kinds of minute Infects on their Ova's contained in them, in various cells or compartments; they are caused originally by such Insects, who stop the slowing of the sap for their food, and cause it to incrust on the branches in the forms we find them.

I 2

Apple-

Apple-trees growing in Orchards are subject to impoverishment more than many other kinds. The nature of the Trees, or dropping of their leaves doing very little injury to the Grass, it is very often mowed and carried off, without any manure to help even the Grass, much more the Trees.

My Friend referred to in the beginning of this differtation had an excellent method of helping trees in this respect; used in different Years, in Winter, to cause some of the trees, to be dug round for feveral Feet from the Butt, which let moisture to the Roots, digging it two or three times while open to admit nitrous Air, and other particles for vegetation; at the last digging, he always got some kind of animal or vegetable manure, as leaves, plunts, &c, the refuse of the Garden, put into a hole dug to catch the foakage of a Farm-yard, having let them remain in to rot and ferment, used to have them dug in near the roots of the trees, but what he preferred to every thing, and found the most fertile, was the contents of a butcher's bloodhole, with entrails and excrements, having the

the drainage of a pig-fty, horse-muck-hill or flable into it---which he had used to have referved for that purpose; 'tis a very good method, where you can do it to let the drain from a Farm-yard through your Orchard .--- You generally find trees that grow within reach of such moisture, very ant to the loaded with Fruit.--- I have known great improvement, in the increase of Fruit on Garden-trees, by making a Bason round, and to some distance from the bottom of the trees, and fupplying it plentifully two or three times in a Spring, or in Autumn, with scouring Suds from the Jersey-comber or Hatter, when scouring Wool, Soap, and the foulness there is upon Wool, are known to be great Enemies to many kinds of minute Infects, which are amazing numerous. on Fruit-trees, though not discernable by the Naked-eye, my Friend used at the time the trees were dug round to have them frequently watered with the Soakage which, drained from the Yard as before described ---And in order to have a very powerful compost to assist small trees, to plant Flowerroots in, to set Cucumbers. &c. used to I 3 have

have a hole dug, in which was put a can load of good Loomy Soil, upon which the Family used to put their Soap-suds, Chamber-lye, Brine, Soot, Wood-ashes, &c. After it had long imbibed these different Salts, he used to have the Soil took out, laid to dry, & mixing it with a little Lime, after ridling it fine was fit for use.----Great Improvement is made in the culture of the Goofberry and Currant-tree. --- by keeping them clean from Moss---avoiding ever cutting them with shears, pruning them in November or December, bringing your trees up to a fingle stem, cutting out old wood every Year, and bringing up new----leaving in, only young bearing wood, taking out at the stem, all that grows too high, never ending, or topping any branches .--- I much prefer fetting feedling Goosberry-trees to either cutting or scion, as you may from seedlings, raise your tree to what form you pleafe, and by the time they come to bear Fruit, they get strong roots to support and ripen it--No . tree of any fort, bears well till it has got a good root.

I am

I am not clearly of opinion---that Mok is the natural production of Fruit Trees:---I am rather inclined to think otherwise, my reason for such opinion is, that such various kinds of Infects, whose offspring is to be supported on Trees of different forts, do from time to time, carry from other Trees, and fix on those they choose to be the refidence of their progeny, Moss, or other fubstance in which they lay their Eggs. Which Moss taking root on the branches, increase the fecurity of future generations ---- It is natural to imagine they would fix on young Trees for their purpole as being most prolific--- I do not imagine ( with many ) that blights are produced by easterly or cold Winds, so far as to fay they come in the Air. but that the Infects that infeft, and are so hurtful to Trees, in general, are bred in the Tree. And when the fap rifes, to encrease the growth, and vigorous young branches shoot forth. If by Frost, cold Wind, or the like, these branches receive a check. that impedes their growth, --- Then --- the - numerous tribe of Infects, sucking the vitals of the tender shoots, overcome them, and 14 cause

cause them to decay. Which if these vigorous shoots, meet with no such obstruction—will then increase in strength and overget the power of these devouring Insects, tho' exceeding numerous.

honey dews, fall from, or come in the Air as is generally imagined. Whenever you fee a Plant or Tree whose leaves are cover'd with that viscous, luscious fluid, called honey dew; If you turn up the leaves over them on which this substance is fallen, you will always find numbers of Insects of the Tree louse kind, on the under side the leaves, sucking the juices from the said leaves, and squirting them down upon the leaves, beneath them, which on a nice inspection you may plainly perceive, and this excrement, I doubt not is the real honey dew.

It is an old faying, every thing begets its likeness—fo I may fay—one digression produces another—I cannot omit to mention, an useful remedy for preventing the definition, caused by the fly on new sown Turnips

Turnips — which I have been much the cause, in a great measure of recommending into practice in this Country with great success, but as I find in my Travels it is not sufficiently known, and the consequence affects so many people, I esteem this the best way to make it public—When you sow Turnip-seed, take for every two pounds of Seed you sow, one quarter of a pound of Sulphur or Flower of Brimstone, mix them well together, let them stand ten or twelve hours, then sow them on your Land, the Seed will so much imbibe and retain the sulphurous particles, as to prevent the sly from touching it.

I remember to have read in a Letter to the Bath Agriculture Society, a description of the cock-chaffer, and grub, that produced it, mentioning the great devastation it makes in Farms-—but not giving any fatisfactory method for a cure. I believe the great grub, is too well known in most Countrys to need a discription, being lately in company with a Farmer who was complaining how much he suffered by them----said he was quite

quite in hopes he was got into a method to destroy them, as he had made one trial with good effect, as 'tis a remedy in every one's power, making them acquainted with it must be useful, if it proves effectual will be of infinite service, and ought not to be concealed .--- When hard Frost was setting in, the Farmer faid, he muster'd all his strength to Plow up a piece of green-fward that was much affected by the great grub, on fixing or turning up the lays, they appeared exceeding numerous, it being a feafon that food was scarce, the rooks and crows came in great numbers from all quarters and devoured them, \* the Frost set in very sharp which destroyed them very much, he could perceive very few left, a fecond Frost setting in he gave it a cross-plowing, which turned up a good many, but in the third Plowing he perceived scarce any, and those the rooks destroyed, that he had a good crop the enfuing year, had plowed the Field a second year in the Frost, and imagined that had quite done for them---as I thought this the most

Many People turn a large quantity of Ducks into their Field to pick up the Grubs.

## ( a39 )

shost rational project on the subject I have met with----many others may be of the same opinion.

The nature and powers of vegetation, appear to be but little known, or understood, amongst the principal part of those concerned in Husbandry. Natural Phylosophy, or making enquiry into the properties of matter, or what may be sliled the study of the Philosophical part of Agriculture, by experiments arising from the real effects of nature, have so little employed their attention, there seems to be wanting something to set their mental powers to work, which is what I principally intend by employing my thoughts and pen, on the subject, in the sollowing pages.

Although the wonderful fystem of vegetation, is fraught with sublimity, far beyond my conception, yet some sew leading hints, I hope may be sound useful, and the more so, as descriptions of this nature are most commonly met with in voluminous Authors, which very seldom fall into the hands of the Husbandman.

( 140 )

Husbandman. I have endeavoured to collect such as promise the greatest utility, referring the improvement, with the success, to their diligent application.

ON





## ON

## VEGETATION.

Vegetable, as described by the learned, is a term in Physiology, applied to all Plants, confidered as capable of growth; that is, to all natural bodies which have parts organical, formed for generation and accretion, but not fenfation. In Vegetables there is supposed to be a principle of Life, commonly called the Vegetative Soul. Boerhaave, very scientifically defines a Vegetable to be a body generated of the Earth, to which it adheres, or is connected by parts called roots, through which it receives the matter of its nourishment, and increase, consisting of juices and vessels, fenfibly diffinct, or diffinguished from each other, to which grow roots, or parts; wherebyit adheres to some other body; from which it derives the matter of its life and growth .---

This definition furnishes a just Idea of a Vegetable, for by its confishing of vessels and juices, it is distinguished from a Fossil, and by its adhering to another body and deriving its nourishment therefrom, it is distinguished from an animal: A Vegetable is called an organical body, because consisting of different parts, which jointly concur to the exercise of the same function; adhering by some of its parts to another body; for we know of no plant that is so absolutely vague and fluctuating, but hath still a body it adheres to; though that body may be various; for instance, earth, as in our common plants; stone, as in rock-plants; water, as in sea and river-plants; the root of a plant may have any fituation at pleafure, with respect to the body thereof, nor needs it either be lowest or highest, as is found in aloes, coral, mosses, funguses's, ivy, creepers, &c. the root is frequently uppermost, and the growth downwards, the vascular\* structure of Vegetables is rendered very apparent, by an experiment of Mr. Willoughby; cutting

<sup>\*</sup> Vascular-with divers Vessels, Veins, Arteries, &c.

and making a fort of bason or reservoir on the end thereof with soft wax, upon filling this with water, and holding the branch upright; \* the water in a sew minutes sunk into the Vessels of the wood, and running quite through the length, dropped out considerably sast at the other end, continuing so to do, as long as the water was poured on—the same succeeds in many other trees.—Philosophical Transactions, No. 70.

Vegetation, is the act whereby Plants and other living bodies, receive nourishment and growth; Plants, we learn from the Microfcope consist of different parts, Vessels, &c. analagous to those of animals: And each kind of Vessel is supposed to be a vehicle of a different humour, or juice, secreted from the mass of sap, which is considered as the blood or common fund of them all. Dr. Grew, assigns the office of the several Vessels: Those placed on the inner verge of the bark, he calls Lymphæducts, and supposes them destined for the conveyance of the

· Inverted,

the most aqueous, or watry liquor,---These Mr. Bradley calls, the new forming Vessels. which are annually produced, and help to increase the bulk of the tree. Those in the middle of the bark, Dr. Grew calls the lactiferous or resinous Vessels, their use according to Bradley, is to return the superfluous sap; these Vessels Grew observes are the principal viscera + of Plants; and adds, that as the viscera of animals are but such Vessels conglomerated; † fo the Vessels of a Plant are viscera drawn out at length. To the nutrition of Plants as well as that of animals, it feems necessary that there be a concurrence of two specifically distinct fluids, and a learned Author maintains an intermixture of two fuch humours in every part of the tree, like that we observe in linfey-woolsey; every part being impregnated with other tinctures, and continually filtered from fibres of one kind to those of another: and from this mixture, many of the Phoenomena of the ripening, odours, colours, &c.

are

<sup>†</sup> Viscera—The intestines, containing—Heart, Liver, Guts, Bowels, &c. † Conglomorated, composed of many Vessels, wrapped or folded together.

are accounted for---the process of nature in the vegetation of Plants, is very accurately delivered by a Foreign Author, to the effect, following .--- The Egg, or Seed of the Plant, being excluded out of the Ovary, called Pod, or Husk, and requiring farther fostering. and brooding, is committed to the Earth; which having received it into her fertile bosom, not only does the office of incubat. tion, ‡ by her own warm vapours and exhalation, joined with the heat of the Sun-, but by degrees supplies what the seed requires for its farther growth as abounding every where with canals and finuses, & wherein the Dew and Rain-water, impregnated with fertile Salts, glide like the Chyle, and Blood in the arteries, &c. of animals. This moisture meeting with a new deposited feed is percolated, or strained through the pores or pipes, of the outer rind, or hulk, corresponding to the secundines of the Fœtus, of animals, on the infide whereof lies one or more, commonly two thick feminal leaves, answering to the placenta in Women and

# Brooding. \ Cavities.

the cotyledons in Brutes. These Seed-leaves consist of a great number of little vesiculæ or bladders with a tube corresponding to the navel-string in animals, in these vesiculæ is received the moisture of the Earth, strained through the rind of the Seed, which makes a slight fermentation, with the proper Juice before contained therein. This stermented Liquor is conveyed by the umbilical \* Vessel to the trunk of the little Plant; and to the gem, or bud, which is contiguous thereto: Upon which a vegetation and increase of the parts succeed.

The procedure in the vegetation of a grain of Wheat is thus exemplified; the first Day the grain is sowed it grows a little Turgid; or swelled, and the Secundine, or Husk, gapes a little in several places, and the body of the Plant being continued by the umbelical Vessel to a conglobated Leaf, which is called the Pulp, or Flesh of the Seed; and is what constitutes the slower, swells, by which means the gem or sprout, which is to be the suture stem opens and waxes Green: The Roots begin to bunch out; whence the placenta

· The Navel.

placenta or Seed-leaf, becoming loofe, gapes. The second Day, the Secundine or Husk being broke through, the stem, or top of the suture Straw, on the outside thereof, grows upward by degrees, the Seed-leaf guarding the Roots, becomes Turgid with its vesiculæ; and puts forth a white down. The Leaf being pulled away you see the Roots of the Plant bare; the suture Buds, Leaves, and rest of the stalk still lying hid between the Roots and the ascending stem, the trunk of the Plant is Knit, by the Navel-knot, to the slower Leaf, which is very moist, tho it still retains its white colour and its natural Taste.

The third Day, the pulp of the conglobated, or round Leaf, becomes Turgid, with the Juice it has received from the Earth, fermenting with its own. Thus the Plant increasing in bigness, and its bud or stem becoming taller, from whitish, it turns greenish, and pyramidical from the gaping Sheath, which adheres closely to the Plant and the lower root grows longer, and hairy, with many fibres, shooting out of it. Indeed there

there are hairy fibres hanging all along on the roots, except on their tips, and these fibres are seen to wind about the saline particles of the soil, little lumps of Earth, &c. like Ivy; whence they grow curled about the Lateral-roots, there now also breaks out. two other little ones. The fourth Day, the stem mounting upwards, makes a right angle with the feminal Leaf; the last Roots put forth more, and the other three growing larger, are cloathed with more hairs which. straitly embrace the lumps of Earth; and where they meet with any vacuity, unite into a kind of Net-work. The conglobate, or Flower-leaf is now fofter, and, when bruised, yields a white sweetish Juice, like Barley Cream. By stripping it off, the root and flem of the Plant are plainly feen, with the intermediate Navel-knot, whose outer part is folid, like a bark, and the inner more foft and medullary. † --- The fifth Day, the stalk still rising, puts forth a permanent or Stable-leaf, which is green, and folded; the Roots grow longer and there appears a new tumor of a future Root, the outer: outer, or Sheath-leaf is loofened and the Seed-leaf begins to fade. The fixth Day, the Stable-leaf being loofened, the Plant mounts upwards; the Sheath-leaf still cleaving about it like a bark, the Seed-leaf is now feen finuous or wrinkled, and faded': And this being cut or freed from the fecundine, the Flesh, or pericarpium, is found of a different texture; the outer part, whereby the outlide of the Seed or grain is heaved up, being more folid; but the inlide velicular, and filled with moisture, especially that part next the Navel-knot. All the Leaves being pulled off, the roots torn and the flower leaf removed, the trunk appears; wherein, not far from the roots, the Navel-knot bunthes out, and is folid & hard to cut: Above there is the mark of the Sheath-leaf which was pulled off; and underneath, as in an Angle, the gem is often hid. The hind part of the Plant shews the breaking forth of the roots, and likewife the faded Placenta, &c. after the eleventh Day, the Seed-leaf, as yet flicking to the Plant, and almost corrupted; within its hollow; and about the fecunding, the mucous and white substance K 3

of the Seed, being continued to the Navel-knot, forms a cavity. All the roots now becoming longer, put forth new branches out of their fides: The Seed-leaf withers, and its veficles are emptied; the internodes, or spaces between the knots grow stronger; new gems appear, and the middle root grows several inches long.—After a month the roots and stalk being grown much longer, new buds break out at the first knot, and little tumors bunch out, which at length, break into roots.

It is observable, that the organized part of many Plants contain in them a number of invisible seminal principles, capable of producing Plants like that to which they have owed their origin, of which many samiliar instances are obvious proofs. The graft of a Tree for instance, from only one single bud, produces a Tree, like that from which it was taken, the whole Tree being quite different from the stock on which it is grafted; but many Roots, even cut in small bits, will each propagate its species, by producing the same Plant; or even the Eye of some Roots will furnish persect

perfect Plants, and Roots the same Year, as is seen in the Potato; cuttings from the branches of many kind of Trees, produce Roots and grow up to Trees of the same kinds, even the leaves of many forts, set in the Ground will grow, or no more than part of a leaf of some succulent Plants as the Opuntia, Indian Fig, &c. and how can this be, but by there having been seminal points in all these places & sections; many instances of this kind might be given to prove that there are in almost all parts of Plants certain seminal points, which need only humidity and a proper degree of warmth, to develope and unfold themselves into perfect Plants.

As to the Vegetable matter, or food whereby Plants grow, there is some doubt about it: the common opinion among naturalists, is, that Water is the great Vegetable food; which seems consirmed, by a spring of balm, or mint, or such like Plant being set in a vial, of pure Water without any mixture of Earth, yet the spring grows, and puts sorth roots, leaves and branches, the same is observable in bulbous Roots, blowing in Water: Another nother experiment of Van Helmont, who drying two hundred pounds of Earth, and planting a Willow which weigh'd five pounds therein, watered it only with Rain Water, and to fecure it from every other Earth, covered it with a perforated Tin-cover, at five Years end, weighing the Tree with all the leaves it had borne in the time; he found it to weigh one hundred & fixty-nine pounds and upwards, yet the Earth was only diminished two ounces. The refult of other experiments, in order to give farther light, to many circumstances of Vegetation, is, that the Water feems to ascend up Plants, in much the same manner as up a filter, that the larger the Plant the more Water is required, that much the greater part of the fluid mass, thus drawn off and conveyed into the Plants do not continue in them, but passes through their pores, and is drawn or exhaled up into the atmosphere; and that Plants set in Water have expended Water, in proportion. to the augmentation of the Plant in common, as fifty to one, & often as an hundred to one; so continual an emission of Water, in so greatplenty, from the parts of Plants, affords a, manifest

manifest reason why Countrys that abound with Trees, and the larger Vegetables efpecially, should be very obnoxious to damps; great humidity in the Air, and more frequent Rains than others that are more open and free, and that Country's abounding in Woods, and where Waters are much stagnated, are more unhealthful, as the humidity from Trees: Plants, &c. does not go off pure, and alone. but carries with it many parts, of the same nature, with those of the Plant through which it passes consist, that the finer and lighter parts only, are drawn up into the atmosphere afterwards, thence they are conveyed to our organs of smell, by the Air we draw in respiration, and are pleasant, or offensive, beneficent or injurious to us according to the nature of the Plants from which they arise, and that a greater quantity of odours is found exhaling from Vegetables in warm humid seasons than in any other. We learn also that great part of the Terrestrial and Vegetable matter that is mixt with Water, ascends up into the Plant with it; and so fine are the component parts that neither by filtering or any other method can it be wholly discharged

discharged from the Water, and that there are many Plants which with the Vegetable matter, take up the mineral also, as appears from many marine Plants, from which kelp, pot-ash and other fixt salts are drawn-----It is certain that nitre and other falts loofen the Earth, and seperate the concreted parts thereof, by that means fitting and disposing them to be assumed by Water, and carried up into the Seed or Plant for its formation and increase. It is every Persons observation, how apt all forts of falts, are to be wrought upon by moisture, how easily they run with it: and when these are drawn off. and have deferted the lumps wherewith they are incorporated; they moulder immediately, and fall afunder of course. The hardest stone we meet with if it happen, (as it frequently doth ) to have any falt intermixt with the fand of which it confifts, upon its being exposed to a humid Air, in a short time, dissolves and crumbles all to pieces, and much more will clodded Earth or Clay, which is not of so compact and folid a constitution. The same way is Lime likewise fervicable in Vegetation; the Husbandmen fay

fay it does not fatten, but only mellows the Ground: By which they mean it does not contain any thing in itself, that is of the fame nature with Vegetable mold, or affords any matter fit for the formation of Plants, but merely foftens and relaxes the Earth: by that means rendering it more capable of entering or being actuated by the Seeds of Vegetables fet in it, in order to their nourishment, than otherwise it would have been. The properties of Lime are well known, and how apt it is to be put in a ferment and commotion by Water; nor can fuch commotion ever happen, when Lime is mixt with Earth, without opening and loofening it. All Vegetable matter is not proper for the nourishment of every Plant, nor does there want good indications, that every kind of Vegetable reguires a peculiar and specific matter for its formation and nourishment; nay, each part of the same Vegetable; and that there are many and different ingredients go to the composition of the same individual Plant. If therefore, the foil where any Vegetable or Seed is planted, contains all, or most of these ingredients and those in due quantity;

it will grow and thrive there; otherwise it will not, if there be not as many forts of corpuscles, or minute particles, as are requisite for the main, and more essential parts of the Plant, it will not prosper at all, if there are these, and not in sufficient plenty, it will never arrive to its natural stature, or if there be any, of the less necessary and effential corpufcles wanting, there will be fome failure in the Plant, and it will be defective, either in take, fmell, colour or some other way. The differing parts in Vegetables are very unaccountable, that one should carry a refinous, another a milky, a third a yellow, a fourth a red juice in its veins, and one afford a fragrant, another an offensive smell, one be sweet to the take, a nother acid, bitter, &c. that one should be nourishing, another poilonous, one purging, another astringent, and this argument makes equally strong against those, who suppose mere Water the matter out of which all bodies are formed. Farther proof is, that the foil once proper for the production of fome fort of Vegetables does not always continue to be so, but, in a tract of time, lookes

its property, by too often repeating the lame crop, and this sooner in some Lands than in others: The Land being worn out, will not revive to bear the same Vegetables, till it is supplied with a new fund of matter of the like fort, with what it first contained. either by the Grounds lying fallow some time, till the Rain has poured a fresh stock upon it, or by manuring it .--- The like is obfervable in Gardens, & Orchards, where the Trees, Shrubs & Herbs after their continuing in one station, till they have drawn thence the greater part of the matter, fit for their increase, will decay and degenerate, unless either fresh Earth or some fit manure be applyed to them; it is true they may maintain themselves there for some time, by sending forth Roots farther and farther, to an extent all around, to fetch in more provision, but at last, they must have a fresh supply brought to them, or they themselves must be removed or trans-planted, to some place better furnished with matter for their sublistence; and accordingly Gardeners observe that Plants that. have stood a long while in a place, have longer Roots than viual, part of which they

cut off; when they transplant to a fresh soil, as not of now any father use to them. All these instances point out a peculiar terrestrial matter as the subject to which Plants owe their increase; were it Water only there would be no need of manures, or of transplanting, the Rain falls in all places; in this Field and in that, indifferently, and on one fide of a Garden, or Orchard as well as another, nor could there be any reason, why a tract of Land should yield Wheat one Year, and not the next, fince the Rain showers down alike Water ferves only for a vehicle to the terrestrial matter, which supports Vegetables, and does not itself make any addition to them; it is not the matter that composes Vegetable bodies; it is only the agent that conveys that matter to them, and destributes it to their several parts for their nourishment; nor is water capable of performing this effice to Plants, unless assisted by a due quantity of heat; this must concur, or Vegetation will not fucceed. It is plain, Water has no power of moving itself, or rising to the vast height it does, in the more tall and lofty Plants, it is true also, the parts of Fire and . heat

Digitized by Google

heat are not capable of moving themselves any more than those of Water; but they are more fubtile, light, and active than those are, and so are more easily put in motion. That the concurrence of Heat in this Work is really necessary, appears not only from remarks already made, but from all nature, from the Fields, and Forests, Gardens and Orchards; we see in Autumn, as the Sun's. power is gradually less and less, so its effect on Plants is weakened, and Vegetation flackens by little and little. Its failure is first discernable in Trees, which being raised highest above the Earth, require a more intense Heat, to elevate the Water, charged with nourishment to their tops; fo that for want of fresh support, and nutriment, they shed their leaves; unless secured by a firm and hard constitution indeed, as our evergreens are. Next, the Shrubs, part with their leaves, and then the Herbs and lower tribes; the Heat being at length not sufficient to supply even these, though so near the Earth, with the fund of their nourishment. As the Heat returns the fucceeding Spring, they all recruit again, and are furnished with fresh **fupplies** 

supplies and verdure: but first those that arelowest and nearest the Earth, and that require a lesser degree of Heat to raise the Water with its earthy change into them; then the Shrubs and high Vegetables, in their turns, and lastly, the Trees. As the Heat increases, it grows too powerful, and hurries the matter with too great rapidity, thro' the finer and more tender Plants, these therefore go off, and decay, and others that are more hardy and vigorous, and require a greater degree of Heat, succeed in their order; by which mechanism provident nature furnishes us with a very various and pleasing entertainment; and what is best suited to every Season of the Year.

The Clouds which are precipitated in rain-drops for the service of mankind, do not consist wholly of watery particles, for besides the aqueous vapours, and what these contain, there are raised from the outward part of the Earth, into the Air sulphurous and saline particles, which are also carried into the clouds, and mixed with the aqueous vapours. Here we have a mixture

of all the fmall substances, as it were, in their extreamly small parts; floating in the Air together, and the effects of these sulphurous and faline particles, thus mingled with aqueous vapours, are sometimes very sensibly perceived, particularly in Thunder and Lightening, when the fulphurous and nitrous particles, taking fire, by the motion arifing from heat, break out with violent flashes, and noise, very much resembling the effects of Gunpowder; or rather, as the effect is the same in both instances. So must the cause be: fince it is plain that there is a vast quantity of nitrous, fulphurous, and bituminous matter all over the surface of the Earth. and that Plants and Animals abound with volatile Salts: we need not wonder that the Sun fills the Air with fuch fine particles (and all forts of unctuous exhalations) by first expanding and then exhaling them till they meet with Air, and other mixtures of the same specific gravity .--- What are usually called Ignus Fatuus, or Jack with a Lanthorn, feem to confist of a more unctuous substance than other exhalations; for we find their oily particles are easily fired, but

but not fo foon fpent as those of fulphur, and nitre. Shooting-stars are improperly fo called, because they are nothing more than exhalations kindled in the Air; if a long train of these substances take fire at once, it is commonly called a dart, fometimes a Fire-ball, if there be many and they continue in the same Place, they are then called Beams. Thus we plainly fee, how full the Air is of these rich ingredients, for the business of vegetation:, And because they are of fuch consequence to the growth of Plants, we will enumerate the fources of them upon the frame of the Globe; from whence the Sun and wind borrow them, in order to disperse them properly in the Air, that they may intimately mix and descend with the Rain-drops, by which they are thus contveyed to the mouths of the fibrous tubes of Plants, with the greatest care and skill; and these ingredients, first leaving the surface of the Earth, through the whole procels of their various motions, configurations, and combinations; are prepared in the most exquisite manner, to be received into the bowels of Vegetables, which we plainly see **fland** 

stand in great need of them: As without their friendly affiftance or some compositions of dung to resemble them, they are not able, from Earth and Water alone to arrive at maturity. Salts are of various kinds--but all have a sharp pungent taste, though not all alike, some are dug out of the Earth like Stone out of a Quarry, others made from Sea-water, others from fprings of Brine, and prepared by Fire for the use of Man .--- The Salt in all these cases, is the fame as to the nature of it, whether it be produced by art, or is the product of the Quarries; for the faline particles are not made by art, in the combination of ingredients to imitate it, but are only seperated from the watery Particles, wherein they floated .----The qualities of this excellent ingredient in Vegetation are, that it is easily disfolved, and melts in the open Air, if it be refined from all heterogeneous Matter; when the Water wherewith it is entangled is any ways drawn off, there is a gross sediment remains, (but the finer parts are carried away with it), and is the only thing the Fire cannot melt, but reduces it to a Calx. This facility, of the fine L 2

finer parts freeming, as they are specifically lighter, than Water, contributes to the benefit of Plants; they intimately mix with it and are carried in those vapours through all the necessary stages, till they repurn to the Earth again. This quality of sticking, or diffolving, in Water and Air, fets the finer parts at Liberty and prepares them to take Wing with the common exbalations; and yet, the fediments or groffer parts which are left behind, have their excellent uses, in helping the embrics of Plants to fend but their fibrous Tubes, in fearch after more refined particles; which either adhere to the superficies of the particles of Earth, or are contained in their internal pores.

Nitre, of which there are several forts, natural and artificial, the former refining itself and the latter refined by Art, is a kind of Salt and differs from Sea-salt, only in being more Arid, and lighter and easily taking Fire; but, like it, is reducable to a Calx. The vapours or particles of Nitre, when they descend for the use of Plants, are

are found to contain abundance of Spirits. for the Nitte as a Salt, is impregnated with them: which renders it volatile, and the Fluid extracted from it is very tharp and corrofive--The Calx to which Nitre is reteducible, as well as the Calx of common Salt, has its excellent use in Vegetation; and when it is reduced by Fire to this Rate, it then takes the name of fixed Salt, or fal ther the ashes of Salt. The benefit of this calcination to Land is manifest from the affices of Burns vegetables and other natural bodies reducible to a calk; for the rich prins ciples or food (if we may to call it) of veget tables, are contained more or less in all but dies, whole parts can be thus feperated, as is evident from the operations in Chymistry; which reduces bodies to their component parts, or elements, by the help of fine. Sulphur, is a liquid clammy subflance, whole parts are foon seperated, and rife up into the air with other vapours; and these soon ockafion violent motions in the atmosphere, & become entembed in the aqueous particles; and are with the tain brought to the plants.

L 3 Bitumen;

Bitumen, is pretty much of the same nature with fulphur, and with it is found in great plenty, in most bodies, but in the most remarkable manner, or in the greatest quantities, in Pit Coal: Yet not in equal quantities, as some are more full of it, & burn much better than others, and some have more sulphur in them as is diffinguished by the smell .--- Naphtha, is a kind of bitumen, and the only difference is, it sooner takes Fire, than bitumen is observed to do, and is not so easily quenched, this facility of admitting the heating particles, which throw those inflamatory bodies into a speedy motion internally, is of great use in the different degrees of the Plants growth. Maltha, seems to be a species of the naphtha, its properties as they appear to common observation are, that if it touches any thing, it flicks fo fast to it as not easily to be seperated; and Water thrown upon it in moderate quantities does but the more inflame it, and Earth alone is found proper to quench it. This valuable ingredient when it descends in the drops of Rain, adheres very intimately to the internal parts of the foil; both on the superficies, and the concave part

part of pores; and other descents of Rainincrease the motion of the internal parts of the particles of Maltha, and thereby promote a fine dilatation\* in the tubular interffices, of the fibres of Plants, & duly contribute to the accelleration of that motion in them, which is necessary to the different stages of their growth and nourishment. Before the fine parts of the maltha are in readiness, or duly prepared by moisture, by their well regulated fermentation, and while it is waiting for the descent of more Rain, it is divested of all internal motion; and confined as a Prisoner. as it were, till the other requisites for the Plants welfare are properly affembled, and ready to perform their offices. These are the chief materials which give motion to Plants; and of which the latter are found to confift; when by chymistry they are analyzed, unfolded, or seperated, into their component parts, that is, when the heterogeneous parts are not only discovered, but set a part, and each quantity estimated and proportioned to the bulk of the whole Plant. These Artists call volatile spirits, sulphur, and saline particles

<sup>•</sup> Expanding, wanting more room.

ticles, the active principles; but Water and Earth they call unactive principles, the active principles; by their continual motion, cause the whole action, or, to speak more properly, are the fole agents, when duly prepared, and exactly applied to the mouths of the fibres; the other two, the unactive principles, being feemingly of no other use, than to bring them, and to help forwards in making them ready for the Plants. These upon every occasion, suitable to their natures, stop the too frequent fallies, and impetuofity of the active principles, from the mouths of Plants, by a just regulation of the attractive and repulfive virtues; which are beautifully established between the active and unactiveprinciples. The one upon occasion, giving motion, and the other, by re-action retarding motion; fo that the nutritive principles may have a given motion, such as the refpective Vegetables require.

The vapours thus raised from the surface of the Earth, in the manner already described become the original matter of all meteors, or heterogeneous substance, sit for the production

duction of the Vegetable world, and confequently are instruments in the wife appointment of divine providence for the prefervation of Man, and all subordinate Animals. When these heterogeneous vapours, are thus lifted up above the Earth, one degree of Cold condenses them into large globules, which, becoming fpecifically heavier than the atmosphere, fall in drops of Rain, and bring down all those treasures inclosed in A greater degree of Cold produces a fixedness, or co-agulation of the heterogeneous vapours, which shoot like Salt into various curious forms, or branchings out; united into certain angles, and make the flakes of Snow, which still contain the nutritive principles. A third and still greater degree - of Cold combines the vapours into a harder Substance, and intombs the valuable ingredients, and they descend in what we call Hail; but if the Cold condenses the vapours before they rife high above the surface of the Earth, they will then be unable to ascend, but will hover about, and fill the lower part of the atmosphere with what is usually called a Fog or Mist, and if the Cold be still more intense,

the Mist is frozen to every twig and blade of Grass in form of a white incrustation, which is called a Rime. When the Air in a fine Day is Warm, and the vapours buoyed up in it are too fine to be visible in the Day time, they will yet be condensed by the coolness of the Evening, descend and settle on the Vegetables in the form of Dew, and if the Evening of such a sine Day is Cold enough to freeze, then instead of Dew, the surface of the Ground will be covered with what is commonly called a white or hoar Frost.

These are the various ways which are appointed to bring down again upon the Earth the treasures that were taken up from it in order to be prepared and properly spreadover the Globe, in methods and contrivances no less beautiful than wonderful, and all this for the supply of needy Man; who when these blessings are held from him for a considerable time, is doomed to destruction. But among the riches of the atmosphere, for the production of Vegetables, we must not omit to mention the consequence which Air itself is of to them, even in their own Bows.

els; besides the manifold uses of it in buoying up their nutritive principles till they are ready for precipitation, and to be applied to the mouths of their fibres. That Plants contain a great quantity of Air in their small vessels, is evinced beyond any fort of doubt, by experiment made to extract it from their inward parts; and fermentation in the parts of Plants depends upon the agency of the Air; for when they are placed under an exhausted receiver, that motion is at a stand, & Vegetation thereby stopt. In this instance we see how absolutely necessary Air is in the production & growth of Plants, & indeed this fubtle agent is conveyed into the internal vessels of the Plant, with the juices, through little & almost imperceptible tubes & from the top through the bark, or outward covering, returns again to the root & indicates a circulation of the Air & vital liquor. like the circulation of the Blood in Animals, From the whole we must conclude, the Air to be as necessary to Plants as any part of their nourishment, for they may as well want one as the other, nay, it seems from many instances, that they will live longer without Food than without Air. From these & many other proofs

we

we may plainly see, that unless the Air was preferved in its prefent condition, and its due balance maintained, the Vegetable World must inevitably be destroyed; and not only Vegetables but Mankind and Animals alfor-The Air being every instant, in its well regulated appointment, necessary to their existence. The Vegetative principle is very extensive, and seems differently seated in different Plants, many think that generally it is fixed between the trunk and the toot: At least this appears to be the place in most of the femniferous, or Seed tribe; which if cut down near the place, rarely shoot again. In other Plants, as the Elm, and many edible or eatable Plants it feems to refide wholly in the roots: Which if cut into ever fo many parts, yet those being planted in the ground foon grow, in others as in the willow kinds it feems to be diffuled all over, roots, trunk, and branches, infomuch, that if cut into a thousand pieces there is no definying them; without fplitting them in the middle, and fearcely then: Lastly, in others as the Cereus's, Ficus's, &c. it is seated in the body. branches, and leaves; any of which being put.

put in the ground, strike root immediately and grow. The office of this Vegetative principle, is, to concost, the undigested Earth and Salts, which ascend through the roots, and assimulate them to the nature of the Plant.

I have now gone as far in describing the nature and effects of Vegetation, as the limits of my present publication will allow. The application to far as relates to Husbandry, depends on a right knowledge of foils, and how to prepare them in a proper manner, to receive the greatest benefit from nutriment conveyed from the atmosphere, and various manures, necessary to promote the growth of useful Roots. Plants. Grain, &c. instead of Weeds or Barrennels. It is observed that frequent stirring of Soil by fallow in a com-. mon course of Husbandry, is very beneficial; by rendering it susceptible of the saline and other particles necessary to its improvement; and it is certain, the finer you render the foil, the more capable it is of admitting their. Vegetative assistance; large clods or lumps of Earth, are long in receiving the benefits: arifing

arising from fermentation, their interior parts being hardened by the Heat of the Sun prevent the Rain from penetrating far into them, or at least not soon; if the lumps are very large, they only moulder off and flake by little and little, and the Seeds of Weeds contained in them do not receive moisture sufficient to make them strike root, in order to their being plowed under and destroyed by the next stirring; by thus remaining in an inactive state, till fet at liberty by fufficient quantity of moisture, they hereafter come up and foul the crop. Whereas by pulverizing the foil, the Weeds grow immediately, and being plowed under, the fermentation caused by their putrifaction helps the crop. Fermentation being found one principal means of promoting Vegetation, and the more fermenting principles are collected together become the more extensively useful, some being neceffary Food for one kind of Plant, fome to another, and to some kinds all, or the greatest part, are necessary.

How the different parts accrete to bring on Fermentation, or cause the Intestine mo-

tion excited in Vegetables, or how the different substances may be extracted by atmofpherical Heat, or chemical operations, is not for me absolutely to determine; and it would be kind in any Person or Persons, more able, to explain these and many other things in natural Phylosophy equally useful for promoting and improving the System of Agriculture on rational principles. How ever, I will attempt to describe a few useful phænomena for inspection, at least in the manner they appear to me. Salts, nitre, and fulphur, are ingredients whose properties and uses have been frequently described by various Authors, and their effects more generally known. But the properties of bitumen, naphtha and maltha, are known to very few, nay their very names are unknown to the generality of Husbandmen. They are three real substances, found in great abundance in some parts of the World, and feem dispersed all over the Globe, in greater or lesser quantities. Bitumen, is a mineral Fossil, not dissolvable in Water, is a combushible oily matter, which in substance appears like Pitch, or black Wax, and eafily takes

takes Fire. Naptha, is a mineral fluid of a more inflamable nature than bitumen, is found in many Countries, is an oily substance, both fulphury and clammy, when pure, is ased in Lamps instead of oil, is esteemed better, being more durable, not so easily extinguished, and leaves no residuum; some Persons take it to be the original cause of the accretion of amber, from other minerals, or what gives that peculiar smell to amber different to any other stone. Maltha is a fossil which in substance appears much like bitumen, the Afiatics very commonly Plaster their Houses with it, is very durable, but attended with one ill quality; namely, that if it takes Fire, Water will not quench it, but makes it burn more fierce; it is said Earth is the only thing to extinguish it. Although the properties of these different bodies are not generally known, yet it is very certain that these are the heating and inflamable qualities peculiar to them, contained in Earth or its component parts more or less as will appear in the following instances. If you stand by a Smith's Forge while he is blowing up his Fire, you may observe him sprinkle it plentifully

fully with Water, in order to make it burn more furiously, and thereby increase the heat; there must be some property, or quality in the Coals, that Water thus operates upon, you will see the Sulphurous parts shew themselves by burning blue, and are easily extinguished by Water, the nitrous particles crack and sly off immediately, agreeably to the known nature of Nitre. The Bitumen contained in them gives them the constant heat; but Maltha seems to be the cause of the increasing heat, when Water is thrown upon them, as it always produces that effect:

Another instance may be given in Lime-stone; we know not perfectly how Lime-stone accretes or is composed by Nature; that there are some properties in it that give it a sirmer texture than Free-stone, and different from Coals is certain, as Fire doth not consume it; in reducing it to a Calx, if Sulphur is contained in it, it is known by its burning blue, and having a Sulphury Smell, if Nitre, by its cracking and slying to pieces as soon as the heat of

the Fire reaches it; but it likewise plainly appears, that certain particles of inslamable Matter are contained in it, which Fire alone doth not consume, or remove; for after being thoroughly cold, even after a considerable length of Time when cold Water is thrown upon it, it immediately takes Fire, slakes and crumbles to Powder; what is so likely to produce such an effect as Maltha? Which hath this inslamatory quality, principle, or power in it, different from all other Minerals.

These two instances I introduce, in order to give the Reader some Idea of the nature and qualities of the Vegetating Powers before-mentioned, and the effects they produce when acted upon by either Fire or Water; made level to the Capacity, Knowledge, or Observation of every thinking Person in common Life. From this Observation, something may be discerned, of the nature and cause, of the Intestine, or inward motion, excited in Vegetables by the combination of different Principles.—You see how suddenly a cold piece of Lime-

Lime-stone takes Fire, and discharges both its Air and Heat, only by having Cold Water thrown upon it, the manner in which this acts is very clearly perceived by every one who sees it, though both its cause and nature, have hitherto been hid, we are naturally led to conclude, that when the same Ingredients meet in Plants, Trees, or Soils, they must certainly cause such-like Fermentation and effect. I am rather of opinion that all Stones grow, are generated, or concrete in the Earth, by means of the various Substances before-mentioned in continuation with Water, and other unctuous or oily Bodies (the principal of which I take to be Naphtha) contained therein, which being filtered through the different Strata's of it, happening to meet with fome obstruction, caused by substances they cannot pass, there unite, and compose those substances we call Stone, of different kinds. As to Coal, where it is found, there are in general a number of different Earths or Rocks above it, in certain Strata's, which plainly indicate there are many igneous combustible ingredients contained in them, which. M 2

which passing through those Strata's, and meeting with Sulphur, Bitumen, Maltha. and other particles, which have been strained or filtered through their different Strata's, and uniting in one body, form that substance commonly called Pit-Coal.

But these considerations being foreign to my present design, I shall here break off the subject as being of too extensive a nature, for my Plan. I am in hopes many will meet with both *Entertainment* and *Advantage*, from the perusal of the *foregoing Work*, and that it may prove acceptable to my *Readers* in *General*.

I N-

F I N I S.



## I N D E X.

A.	Page.
	Cream Cheese 58, 60
Page.	Colouring Cheese 62, 67
ANNATTO - 63	Cheefe from poorland 83
Arimart — 113	from Clover 89
Appletree - 121, 132	from any Land 83
. 0	Cheese-Chamber 100
В.	Cheese-Press 88
	Cheese-Press - 88 Cheese-Vats - 103
Bulged Cheese - 54	Centaury — 114
Blistered Ditto - 35	Cow-Bane — 116
Blue-pared — 51, 81	Cow-Weed - 117
Brine-drippings — 43	Crab-Trees — 124
Bull Cheese — 44	Chryfalis — 127
Breaking-curd 48, 84,87	Caterpillars — 127
Bitter Cheese 90	Chill-Cheese — 31,60
Breeders of Cows 97	Cochineal — 68
Butter 108	Correspondent's Letter
Butterflies - 127	<del> 8</del> 5
Brick-bat Cheese 59	Clouds — 160
Blights — 135	D.
Bitumen — 166, 175!	
4	Dry Cracks, 11, 55, 80
- <b>C.</b>	Dairy-woman, 12, 15,68
• • • • • • • • • • • • • • • • • • •	Dairying 16
Curd — 14, 89	Dairy Ground — 25
Cow described — 17	Drop-Wort - 118
Curdly Cheefe - 55	E.

P.

Page.
Parfley Cheese — 67
Poisonous Plants 82, 90
Pasturage --- 13, 91
Penny-Wort — 118

Q.

Quantity of Cheese from the same Milk —— 8, 85, 76 Quantity of Cheese made — 22, 45, 65

R.

Rank Cheefe -- 11,52,53,86
Rotten Cheefe -- 51
Rendling Milk 27,38,42,77
Running Streams -- 98
Runnet Plant - 103, 119
Rib-wort --- 113
Runnet, to make 43,50

S.

Sweet Cheefe --- 49, 73 Spongy Cheefe --- 52 Split Cheefe --- 53 Salting in Milk 28,30,54 Salting in Curd --- 53 Slip-curd -- 31,35,47,57,61 Sunk Cheefe --- 46,84 Page.
Sunk-coated Cheese 55
Skimmed Cheese 56, 61
Sage Cheese — 67
Salutary Plants — 94
Saintsoin Grass — 95
Scalding Cheese — 101
Slip-coat Cheese 58, 61
Sulphur — 165
Salts — 163

т.

Time in earning 14, 31, 45, 58
Tears — 32
Two-meal Cheefe - 56
Turnips — 137

V.

Vegetation -- 139, 143 Vegetable --- 140, 142 Vegetable-matter -- 151, 155 Volatile Spirits — 167 Vegetative principle 172

W.

Whey Springs -- 11, 32
Warmth of Milk 28, 29
Warming Milk -- 31
Water-wort --- 117
Warmth -- 61,98
Washing Cheese -- 100
White Whey -- 49

## E R R A T A.

Page 23, line 5, the Parenthesis) to be placed, after exposed to)

Page 43, 10 lines from the bottom, read quite.

Page 59, ad line, between-hard, coming—destroy the Comma.

Page 60, last line, read will loose.

Page 69, 5 lines from the bottom, read may wish to have.

Page 72, 17th line, after usefulness, put a Comma.

Page 78, 5th line, read quite — ibid, 3d line from the bottom, read quite.

Page 80, 4th line from the bottom, read marbled.

Page 118, 11th line, read Penny-cress.

Page 126, 7th line, read topping.

Page 131, 6 lines from the bottom, instead of on their Ova's, read, or their Ova's.

Page 132, 6 lines from the bottom, read Plants.

Page 89, 11th line, for in, read it.

Page 110, 7th line, for preceives, read perceives.

## 89078600459



B89078600459A


## y be kept JRTEEN DAYS

600459A O CENTS will be charged for each day the book is kept overtime.

Tor each day the book is kept overtime.			

Demco 291-B5

LIBRARY '
Cologe of Agriculture
University of Wisconsin
Madison 6, Wisconsin



89078600459



b89078600459a

Conole